BIRD IN THE HAND.

H.J.de S.Disney, Australian Museum, Sydney. Drawings by B.Bertram, Australian Museum Art Dept.

This is the first of a series giving the diagnostic characters of Australian Bronze Cuckoos.

The measurement of the Bill Width follows that taken by Ernst Mayr (1932) and is taken in millimetres with calipers just in front of the nostrils.

The tail is numbered from the outside to centre as this is easier in the field and causes less disturbance to the bird.

Descriptions have been taken from skins held at an angle with head down towards the light, but not full sunlight. In full sunlight the colours may be somewhat different, such as more iridescence and overall bronze.

The width of the bill separates the Golden and Shining Bronze Cuckoos.


Ref: Mayr, E. 1932. Birds collected during the Whitney South Sea Expedition XIX

Notes on the Bronze Cuckoo <u>Chalcites</u> <u>lucidus</u> and its subspecies.

Amer.Mus.Novit.No.520.p.l

BIRD IN THE HAND

Shining Bronze Cuckoo Challites lucidus RAOU No. 343



BIRD IN THE HAND

Golden Bronze Cuckoo Chalcites plagosus RAOU No. 344

1 →	4. 2−5 m.m.	Bill Width	Medium 4.2-5
		Forehead	No white or slight
		Crown Hind neck Mantle	Purplish copper Bronze. Juv. Brown with slight metallic green tinge.
		Back	Bronze green, contrasting with purplish mantle. Juv. as mantle.
		Wing Coverts	No buff or light edges, similar to back and rump. Juv. Slight rufous edges.
		Tail No.l	5 large white
1 2 3	4 ₅	2 8	spots & 3 with or without rufous spots. Juv. Similar.
ADULT		Chin	Copper Bronze bars. Juv. as Throat and Breast.
		Throat and Breast	Copper bronze bars. Juv. Dark greyish brown with faint barring.
	JUVENILE	Belly	White with crossing bars. Juv. Whitish with brownish bars increasing with age, espirally on flanks.
ADULT		Face	White over eye not extending down sides of neck.