

CORELLA
Journal of
The Australian Bird Study Association Inc.

VOLUME 32
2008

Parts 1 – 3/4

Honorary Editor:
J. R. Farrell

GENERAL INDEX

- Abstracts:
- As time goes by: dramatic change in the woodland bird community of north-central Victoria..... 42
 - Changes in bird communities in greater Sydney..... 42
 - Climate change as a threatening process..... 43
 - Conservation of the south-eastern Red-tailed Black-Cockatoo *Calyptorhynchus banksii graptogyne*: 10 years of recovery effort. 41
 - Grey-crowned Babbler *Pomatostomus temporalis* Conservation in Victoria – gains, drains and gaps. 39
 - The challenges of balancing recreation with beach-nesting bird conservation..... 41
 - The interface between science and management: lessons from the Black-eared Miner *Manorina melanotis* recovery effort. 40
 - ‘Threatened birds and threatening processes’ ABSA/BOCA Scientific Day. 39
- Banding:
- A simple, inexpensive trap for capturing parrots and other cavity nesting birds..... 78
 - Longevity of the Crested Tern *Sterna bergii* in South Australia. 35
 - Studies of roosting Common Starlings *Sturnus vulgaris* in South Australia. 25
- Behaviour:
- A possible territorial and nesting association between Pied and Grey Butcherbirds *Cracticus nigrogularis* and *C. torquatus* and the Yellow-throated Miner *Manorina flavigula*. 30
 - Longevity of the Crested Tern *Sterna bergii* in South Australia. 35
 - Studies of roosting Common Starlings *Sturnus vulgaris* in South Australia. 25
- Book Reviews:
- Glimpses of Paradise: The Quest for the Beautiful Parakeet..... 77
 - Shorebirds of Australia.....45
 - Spirit of the Wedge-tailed Eagle: The Art of Humphrey Price-Jones. 22
 - Tawny Frogmouth..... 46
 - The Field Guide to the Birds of Australia..... 44
- Breeding:
- A possible territorial and nesting association between Pied and Grey Butcherbirds *Cracticus nigrogularis* and *C. torquatus* and the Yellow-throated Miner *Manorina flavigula*. 30
 - Adult moulting during breeding in the New Zealand Fantail, *Rhipidura fuliginosa fuliginosa*. 38
 - Early fledging in the New Zealand Fantail, *Rhipidura fuliginosa fuliginosa*. 76
- Diet/Food/Foraging:
- Out on the town: winter feeding ecology of lorikeets in urban parkland. 49
 - Winter diet of Southern Boobooks *Ninox novaeseelandiae* in Canberra 1997-2005 66
- Habitat Use:
- Out on the town: winter feeding ecology of lorikeets in urban parkland. 49
- Migrations/Movements:
- The abundance and movements of the Australian White Ibis *Threskiornis molucca* in an urban environment. 58
 - Studies of roosting Common Starlings *Sturnus vulgaris* in South Australia. 25
- Plumage:
- Adult moulting during breeding in the New Zealand Fantail, *Rhipidura fuliginosa fuliginosa*. 38
- Population Studies:
- The abundance and movements of the Australian White Ibis *Threskiornis molucca* in an urban environment. 58
- Recovery Round-up: 23,47,79
- Seabird Islands
- No. 252 – West Waldegrave Island, Eyre Peninsula, South Australia..... 20
- Surveys:
- A survey of diurnal raptors in the wet-dry tropics, Northern Australia..... 71
 - Birds of the Royal Botanic Gardens, Cranbourne. 1
 - Land-birds of three islands off the West Coast of Eyre Peninsula, South Australia: Lilliput, Nicolas Baudin and West Waldegrave. 17

INDEX OF AUTHORS

Armstrong, D., Berris, S., Shaughnessy, P. and Dennis, T.	17	Major, R., Parsons, H. and French, K.	42
Bennett, A. and Radford, J.	42	Munro, U. and Corben, D.T.	58
Berg, M.L. and Ribot, R.F.H.	78	Murray, M.D. and Waterman, M.	35
Berris, S., Shaughnessy, P., Dennis, T. and Armstrong, D.	17	Murray, M.D., Waterman, M. and Fuller, C.O.	25
Chambers, L.E.	43	Olsen, J., Rose, A.B., Debus, S.J.S. and Trost, S.	66
Clarke, M.F.	40	Palmer, G.C.	44
Cleere, N.	46	Parsons, H., French, K. and Major, R.	42
Coates, T. and Harris, K.	1	Radford, J. and Bennett, A.	42
Corben, D.T. and Munro, U.	58	Ribot, R.F.H. and Berg, M.L.	78
Debus, S.J.S., Trost, S., Olsen, J. and Rose, A.B.	66	Robinson, D.	39
Dennis, T., Armstrong, D., Berris, S. and Shaughnessy, P.	17	Rose, A.B., Debus, S.J.S., Trost, S. and Olsen, J.	66
French, K., Major, R. and Parsons, H.	42	Shaughnessy, P., Dennis, T., Armstrong, D. and Berris, S.	17
Fuller, C.O., Murray, M.D. and Waterman, M.	25	Stanford, L. and Lill, A.	49
Gosper, D. and Holmes, G.	71	Stirnermann, R.	38
Harris, K. and Coates, T.	1	Stirnermann, R.	76
Hill, R.	41	Tredinnick, S.	22
Holmes, G. and Gosper, D.	71	Trost, S., Olsen, J., Rose, A.B. and Debus, S.J.S.	66
Jones, D.	77	van Gessel, F.	45
Lill, A. (comp.)	39	Waterman, M. and Murray, M.D.	35
Lill, A. and Stanford, L.	49	Waterman, M., Fuller, C.O. and Murray, M.D.	25
Maguire, G.S.	41		

SPECIES INDEX

This index follows The Taxonomy and Species of Birds of Australia and its Territories. L. Christidis and W. E. Boles (1994). R.A.O.U. Monograph 2 (R.A.O.U.: Hawthorn, Victoria)

<p>ACANTHIZA <i>chrysorrhoa</i> Yellow-rumped Thornbill: 8. <i>lineata</i> Striated Thornbill: 15. <i>nana</i> Yellow Thornbill: 7, 24*, 80*. <i>pusilla</i> Brown Thornbill: 5.</p> <p>ACANTHAGENYS <i>rufogularis</i> Spiny-cheeked Honeyeater: 15, 31.</p> <p>ACANTHORHYNCHUS <i>tenuirostris</i> Eastern Spinebill: 10.</p> <p>ACCIPITER spp. goshawks: 72. <i>cirrocephalus</i> Collared Sparrowhawk: 14, 71. <i>fasciatus</i> Brown Goshawk: 9, 71. <i>novaehollandiae</i> Grey Goshawk: 9, 72.</p> <p>ACRIDOTHERES <i>tristis</i> Common Myna: 6, 42[†], 68.</p> <p>ACROCEPHALUS <i>stentoreus</i> Clamorous Reed-Warbler: 7.</p> <p>AEGOTHELES <i>cristatus</i> Australian Owlet-nightjar: 15.</p>	<p>ALAUDA <i>arvensis</i> Skylark: 6.</p> <p>ALCEDO <i>azurea</i> Azure Kingfisher: 15.</p> <p>ANAS <i>castanea</i> Chestnut Teal: 7. <i>gracilis</i> Grey Teal: 7. <i>rhynchotis</i> Australasian Shoveler: 9. <i>superciliosa</i> Pacific Black Duck: 7, 17.</p> <p>ANHINGA <i>melanogaster</i> Darter: 10.</p> <p>ANTHOCHAERA <i>carunculata</i> Red Wattlebird: 5, 31, 52. <i>chrysoptera</i> Little Wattlebird: 10, 52.</p> <p>ANTHUS <i>novaeseelandiae</i> Richard's Pipit: 7, 18.</p> <p>AQUILA <i>audax</i> Wedge-tailed Eagle: 10, 72.</p> <p>ARDEA <i>alba</i> Great Egret: 14. <i>ibis</i> Cattle Egret: 14. <i>intermedia</i> Intermediate Egret: 14. <i>pacifica</i> Pacific Heron: 18.</p>
---	--

ARENARIA <i>interpres</i>	Ruddy Turnstone: 18, 47*, 80*.	CISTICOLA <i>exilis</i>	Golden-headed Cisticola: 7.
ARTAMUS <i>cyanopterus</i> <i>personatus</i> <i>superciliosus</i>	Dusky Woodswallow: 16. Masked Woodswallow: 16. White-browed Woodswallow: 16.	CLIMACTERIS <i>erythropus</i> <i>picumnus</i>	Red-browed Treecreeper: 9. Brown Treecreeper: 24.
ASIO <i>otus</i>	Long-eared Owl: 66.	COLLURICINCLA <i>harmonica</i> <i>megarhyncha</i>	Grey Shrike-thrush: 5, 32. Little Shrike-thrush: 24*.
AYTHYA <i>australis</i>	Hardhead: 7.	COLUMBA <i>livia</i>	Rock Dove: 6,18,25.
BARNARDIUS <i>zonarius</i>	Australian Ringneck: 31.	CORACINA <i>novaehollandiae</i> <i>papuensis</i>	Black-faced Cuckoo-shrike: 16. White-bellied Cuckoo-shrike: 16.
BIZIURA <i>lobata</i>	Musk Duck: 12.	CORCORAX <i>melanorhamphos</i>	White-winged Chough: 9, 80*.
BOTAURUS <i>poeciloptilus</i>	Australasian Bittern: 14.	CORMOBATES <i>leucophaeus</i>	White-throated Treecreeper: 15.
CACATUA <i>galerita</i> <i>pastinator</i> <i>roseicapilla</i> <i>sanguinea</i> <i>tenuirostris</i>	Sulphur-crested Cockatoo: 15, 52. Western Corella: 31. Galah: 9,31. Little Corella: 9. Long-billed Corella: 15.	CORVUS <i>bennetti</i> <i>coronoides</i> <i>mellori</i>	Little Crow: 31. Australian Raven: 10, 18, 31. Little Raven: 16.
CACOMANTIS <i>flabelliformis</i> <i>variolosus</i>	Fan-tailed Cuckoo: 7. Brush Cuckoo: 15.	COTURNIX <i>pectoralis</i> <i>ypsilophora</i>	Stubble Quail: 14. Brown Quail: 14.
CALAMANTHUS <i>fuliginosus</i>	Striated Fieldwren: 15.	CRATICUS spp. <i>nigrogularis</i> <i>torquatus</i>	butcherbirds: 30. Pied Butcherbird: 30. Grey Butcherbird: 10, 24*, 30.
CALIDRIS <i>acuminata</i> <i>alba</i> <i>canutus</i> <i>ruficollis</i>	Sharp-tailed Sandpiper: 48*. Sanderling: 47*. Red Knot: 80*. Red-necked Stint: 18, 48*.	CUCULUS <i>pallidus</i>	Pallid Cuckoo: 7.
CALLOCEPHALON <i>fimbriatum</i>	Gang-Gang Cockatoo: 9.	CYGNUS <i>atratus</i>	Black Swan: 10.
CALYPTORHYNCHUS <i>banksii graptogyne</i> <i>funereus</i>	South-eastern Red-tailed Black-cockatoo: 39 [†] , 41 [†] . Yellow-tailed Black-Cockatoo: 15.	DACELO <i>novaeguineae</i>	Laughing Kookaburra: 8.
CARDUELIS <i>carduelis</i> <i>chloris</i>	European Goldfinch: 6. Greenfinch: 9.	DAPHOENOSITTA <i>chrysoptera</i>	Varied Sittella: 10.
CATHARACTA <i>antarctica lonnbergi</i>	Brown Skua: 23*, 80*.	DICAEUM <i>hirundinaceum</i>	Mistletoebird: 5.
CEREOPSIS <i>novaehollandiae</i>	Cape Barren Goose: 21.	DIOMEDEA <i>exulans</i>	Wandering Albatross: 23*.
CHARADRIUS <i>mongolus</i> <i>ruficapillus</i>	Lesser Sand Plover: 48*. Red-capped Plover: 18.	EGRETTA <i>novaehollandiae</i> <i>sacra</i>	White-faced Heron: 10, 17, 21. Eastern Reef Egret: 14, 17, 21.
CHENONETTA <i>jubata</i>	Australian Wood Duck: 10.	ELANUS <i>axillaris</i>	Black-shouldered Kite: 14, 72.
CHLIDONIAS <i>hybridus</i>	Whiskered Tern: 9.	ELSEYORNIS <i>melanops</i>	Black-fronted Dotterel: 15.
CHRYSOCOCCYX <i>basalis</i> <i>lucidus</i>	Horsfield's Bronze-Cuckoo: 7. Shining Bronze-Cuckoo: 7.	ENTOMYZON <i>cyanotis</i>	Blue-faced Honeyeater: 24*.
CINCLORAMPHUS <i>mathewsi</i>	Rufous Songlark: 9.	EOPSALTRIA <i>australis</i>	Eastern Yellow Robin: 16, 24*.
CIRCUS <i>approximans</i> <i>assimilis</i>	Swamp Harrier: 7, 18, 72. Spotted Harrier: 9, 72.	EPHIANURA <i>albifrons</i>	White-fronted Chat: 9, 18.
		ESACUS <i>neglectus</i>	Beach Stone-curlew: 48*.
		EUDYPTULA <i>minor</i>	Little Penguin: 21, 79*.
		EUROSTOPODUS <i>mystacalis</i>	White-throated Nightjar: 9.

EURYSTOMUS <i>orientalis</i>	Dollarbird: 15.	LICHENOSTOMUS <i>chrysops</i> <i>leucotis</i> <i>melanops cassidix</i> <i>penicillatus</i> <i>virescens</i>	Yellow-faced Honeyeater: 7. White-eared Honeyeater: 5. Helmeted Honeyeater: 43 [†] . White-plumed Honeyeater: 8, 24*. Singing Honeyeater: 9, 32.
FALCO <i>berigora</i> <i>cenchroides</i> <i>hypoleucos</i> <i>longipennis</i> <i>peregrinus</i> <i>subniger</i>	Brown Falcon: 14, 72. Nankeen Kestrel: 14, 18, 72. Grey Falcon: 72. Australian Hobby: 14, 72. Peregrine Falcon: 14, 18, 72. Black Falcon: 72.	LIMOSA <i>lapponica</i> <i>limosa</i>	Bar-tailed Godwit: 23*. Black-tailed Godwit: 47*.
FALCUNCULUS <i>frontatus</i>	Crested Shrike-tit: 16.	LOPHOICTINIA <i>isura</i>	Square-tailed Kite: 72.
FULICA <i>atra</i>	Eurasian Coot: 7.	MACRONECTES spp. <i>giganteus</i> <i>halli</i>	giant petrels: 21. Southern Giant-Petrel: 23*, 47*. Northern Giant Petrel: 23*.
GALLINAGO <i>hardwickii</i>	Latham's Snipe: 9.	MALACORHYNCHUS <i>membranaceus</i>	Pink-eared Duck: 14.
GALLINULA <i>tenebrosa</i> <i>ventralis</i>	Dusky Moorhen: 7. Black-tailed Native-hen: 14.	MALURUS <i>cyaneus</i>	Superb Fairy-wren: 15, 42 [†] .
GEOPELIA <i>striata</i>	Peaceful Dove: 48*.	MANORINA spp. <i>flavigula</i> <i>melanocephala</i> <i>melanophrys</i> <i>melanotis</i>	Miners: 31. Yellow-throated Miner: 30, 40 [†] . Noisy Miner: 9, 30, 39 [†] , 42 [†] , 49. Bell Miner: 9, 30. Black-eared Miner: 30, 39 [†] , 40 [†] .
GLAREOLA <i>maldivarum</i>	Oriental Pratincole: 80*	MEGALURUS <i>gramineus</i>	Little Grassbird: 10.
GLOSSOPSITTA <i>concinna</i> <i>pusilla</i>	Musk Lorikeet: 12, 49. Little Lorikeet: 9, 55.	MELIPHAGA <i>lewini</i>	Lewin's Honeyeater: 24*.
GRALLINA <i>cyanoleuca</i>	Magpie-lark: 8,32.	MELITHREPTUS <i>brevirostris</i> <i>lunatus</i>	Brown-headed Honeyeater: 15, 24*. White-naped Honeyeater: 7.
GRANTIELLA <i>picta</i>	Painted Honeyeater: 15.	MICRATHENE <i>whitneyi</i>	Elf Owl: 66.
GYMNORHINA <i>tibicen</i>	Australian Magpie: 7, 43 [†] , 53, 80*.	MICROECA <i>fascinans</i>	Jacky Winter: 9.
HAEMATOPUS <i>fuliginosus</i> <i>longirostris</i>	Sooty Oystercatcher: 21, 80*. Pied Oystercatcher: 48*, 80*.	MILVUS <i>migrans</i>	Black Kite: 14, 72.
HALIAEETUS <i>leucogaster</i>	White-bellied Sea-Eagle: 9, 18, 21, 72.	MIRAFRA <i>javanica</i>	Singing Bushlark: 9
HALIASTUR <i>indus</i> <i>sphenurus</i>	Brahminy Kite: 47*,72. Whistling Kite: 14,72.	MORUS <i>serrator</i>	Australasian Gannet: 21.
HAMIROSTRA <i>melanosternon</i>	Black-breasted Buzzard: 72.	MYIAGRA <i>cyanoleuca</i> <i>inquieta</i> <i>rubecula</i>	Satin Flycatcher: 7. Restless Flycatcher: 16. Leaden Flycatcher: 16.
HETEROSCELUS <i>brevipes</i>	Grey-tailed Tattler: 23*.	NEOCHMIA <i>temporalis</i>	Red-browed Finch: 16, 68.
HIERAAETUS <i>morphnoides</i>	Little Eagle: 10, 75.	NEOPHEMA <i>chrysostoma</i> <i>petrophila</i>	Blue-winged Parrot:: 15. Rock Parrot: 18.
HIRUNDAPUS <i>caudacutus</i>	White-throated Needletail: 15.	NINOX spp. <i>novaeseelandiae</i> <i>scutulata</i> <i>strenua</i> <i>sumbaensis</i>	hawk owls: 66. Southern Boobook: 15, 66. Brown Hawk-owl: 66 Powerful Owl: 9. Sumba Hawk Owl: 66
HIRUNDO <i>ariel</i> <i>neoxena</i> <i>nigricans</i>	Fairy Martin: 16. Welcome Swallow: 7, 18. Tree Martin: 7.	NUMENIUS <i>madagascariensis</i> <i>phaeopus</i>	Eastern Curlew: 9. Whimbrel: 80*.
HYLACOLA <i>pyrrhopygia</i>	Chestnut-rumped Heathwren: 15.	NYCTICORAX <i>caledonicus</i>	Nankeen Night Heron: 14.
LALAGE <i>sueurii</i>	White-winged Triller: 16.		
LARUS <i>novaehollandiae</i> <i>pacificus</i>	Silver Gull: 10, 21, 35, 80*. Pacific Gull: 10, 21.		
LATHAMUS <i>discolor</i>	Swift Parrot: 9.		

OCYPHAPS <i>lophotes</i>	Crested Pigeon: 9.	PORPHYRIO <i>porphyrio</i>	Purple Swamphen: 7.
ORIOIUS <i>sagittatus</i>	Olive-backed Oriole: 16.	PORZANA <i>fluminea</i> <i>pusilla</i>	Australian Spotted Crake: 10. Baillon's Crake: 10.
OTUS <i>scops</i>	Common Scops Owl: 66.	PSEPHOTUS <i>haematonotus</i>	Red-rumped Parrot: 9, 66.
OXYURA <i>australis</i>	Blue-billed Duck: 7.	PSOPHODES <i>olivaceus</i>	Eastern Whipbird: 9.
PACHYCEPHALA <i>olivacea</i> <i>pectoralis</i> <i>rufiventris</i>	Olive Whistler: 9. Golden Whistler: 15, 80*. Rufous Whistler: 7, 24*, 32.	PTILONORHYNCHUS <i>violaceus</i>	Satin Bowerbird: 24*.
PANDION <i>haliaetus</i>	Osprey: 18.	PUFFINUS <i>tenuirostris</i>	Short-tailed Shearwater: 21.
PARDALOTUS spp. <i>punctatus</i> <i>striatus</i>	pardalotes: 8. Spotted Pardalote: 15. Striated Pardalote: 15.	PYCNONOTUS <i>jocosus</i>	Red-whiskered Bulbul: 24*.
PARUS <i>major</i>	Great Tit: 78.	PYCNOPTILUS <i>floccosus</i>	Pilotbird: 9.
PASSER <i>domesticus</i> <i>montanus</i>	House Sparrow: 6, 68. Eurasian Tree Sparrow: 9.	RALLUS <i>pectoralis</i>	Lewin's Rail: 14.
PELECANUS <i>conspicillatus</i>	Australian Pelican: 9.	RHIPIDURA <i>fuliginosa</i> <i>fuliginosa fuliginosa</i> <i>leucophrys</i> <i>rufifrons</i>	Grey Fantail: 5. New Zealand Fantail: 38, 76. Willie Wagtail: 8, 32. Rufous Fantail: 16.
PETROICA <i>multicolor</i> <i>phoenicea</i> <i>rodinogaster</i> <i>rosea</i>	Scarlet Robin: 9. Flame Robin: 16. Pink Robin: 16. Rose Robin: 16.	SERICORNIS <i>citreogularis</i> <i>frontalis</i>	Yellow-throated Scrubwren: 24*. White-browed Scrubwren: 5, 24*, 80*.
PHALACROCORAX <i>carbo</i> <i>fuscescens</i> <i>melanoleucos</i> <i>sulcirostris</i> <i>varius</i>	Great Cormorant: 7, 21. Black-faced Cormorant: 21. Little Pied Cormorant: 14. Little Black Cormorant: 14. Pied Cormorant: 9, 21.	SMICRORNIS <i>brevirostris</i>	Weebill: 9.
PHAPS <i>chalcoptera</i> <i>elegans</i>	Common Bronzewing: 15. Brush Bronzewing: 7.	STAGONOPLEURA <i>bella</i> <i>guttata</i>	Beautiful Firetail: 9. Diamond Firetail: 24*.
PHYLIDONYRIS <i>novaehollandiae</i> <i>pyrrhoptera</i>	New Holland Honeyeater: 5. Crescent Honeyeater: 9.	STERNA <i>bergii</i> <i>caspia</i> <i>nereis</i>	Crested Tern: 21, 35, 48*. Caspian Tern: 21, 48*. Fairy Tern: 21.
PLATALEA <i>flavipes</i> <i>regia</i>	Yellow-billed Spoonbill: 14. Royal Spoonbill: 9.	STIPITURUS <i>malachurus</i>	Southern Emu-wren: 15.
PLATYCERCUS spp. <i>elegans elegans</i> <i>eximius</i>	rosellas: 78. Crimson Rosella: 15. Eastern Rosella: 5, 52.	STREPERA <i>graculina</i> <i>versicolor</i>	Pied Currawong: 9, 49. Grey Currawong: 16, 32.
PLEGADIS <i>falcinellus</i>	Glossy Ibis: 9.	STREPTOPELIA <i>chinensis</i>	Spotted Turtle-Dove: 6, 30.
PODARGUS <i>strigoides</i>	Tawny Frogmouth: 15.	STURNUS <i>vulgaris</i>	Common Starling: 6, 18, 25, 67, 78.
POLIOCEPHALUS <i>poliocephalus</i>	Hoary-headed Grebe: 7.	SURNIA <i>ulula</i>	Northern Hawk-owl: 66.
POLYTELIS <i>anthopeplus</i>	Regent Parrot: 32.	TACHYBAPTUS <i>novaehollandiae</i>	Australasian Grebe: 7.
POMATOSTOMUS <i>superciliosus</i> <i>temporalis</i>	White-browed Babbler: 24*(48), 68. Grey-crowned Babbler: 39 [†] .	TADORNA <i>tadornoides</i>	Australian Shelduck: 14.
		THALASSARCHE <i>cauta</i> <i>melanophris</i>	Shy Albatross: 47*. Black-browed Albatross: 79*.
		THINORNIS <i>rubricollis</i>	Hooded Plover: 39 [†] , 41 [†] .
		THRESKIORNIS <i>aethiopicus</i> <i>molucca</i> <i>spinicollis</i>	Sacred Ibis: 58. Australian White Ibis: 7, 23*, 58, 79*. Straw-necked Ibis: 7.

TODIRAMPHUS <i>sanctus</i>	Sacred Kingfisher: 15,18.	TYTO spp. <i>alba</i>	barn owls: 66 Barn Owl: 9.
TRICHOGLOSSUS <i>chlorolepidotus</i> <i>haematodus</i>	Scaly-breasted Lorikeet: 52. Rainbow Lorikeet: 8, 49.	VANELLUS <i>miles</i>	Masked Lapwing: 10, 18, 43 [†] .
TRINGA <i>nebularia</i>	Common Greenshank: 18.	XENUS <i>cinereus</i>	Terek Sandpiper: 23*.
TURDUS <i>merula</i> <i>philomelos</i>	Common Blackbird: 6, 30, 68, 80*. Song Thrush: 6.	ZOOTHERA <i>lunulata</i>	Bassian Thrush: 16.
TURNIX <i>varia</i>	Painted Button-quail: 14.	ZOSTEROPS <i>lateralis</i>	Silvereye: 8, 18.