

CORELLA
Journal of
The Australian Bird Study Association Inc.

Volume 35
2011

Parts 1 – 4

Honorary Editor:
J. R. Farrell

GENERAL INDEX

<p>Abstracts</p> <p>DNA– What secrets does it hold for the study of Australian birds? 75</p> <p>Banding</p> <p>Photographic identification of bands confirm age of breeding Carnaby’s Black Cockatoos <i>Calyptorhynchus latirostris</i>..... 52</p> <p>Behaviour</p> <p>Tool use by the Sandstone Shrike-thrush <i>Colluricincla woodwardi</i> 59</p> <p>Book and CD Reviews</p> <p>Capturing the Essence: Techniques for Bird Artists 111</p> <p>Field Guide to the Birds of Australia: 8th Edition 37</p> <p>Invisible Connections: Why migrating shorebirds need the Yellow Sea 37</p> <p>Nightjars, Potoos, Frogmouths, Oilbird and Owlet-Nightjars of the World 86</p> <p>Raptor Survey and Monitoring – A Field Guide for African Birds of Prey 38</p> <p>Stray Feathers: Reflections of the Structure, Behaviour and Evolution of Birds 112</p> <p>The Complete Guide to Finding the Birds of Australia: 2nd. Edition 60</p> <p>Breeding</p> <p>Aspects of the biology of the Grey Falcon <i>Falco hypoleucos</i> in the Pilbara region of Western Australia 11</p> <p>Aspects of the ecology of the Grey Falcon <i>Falco hypoleucos</i> in the South Australian arid zone 23</p> <p>Clutch predation in relation to mean vegetation height at Northern Mallards’ <i>Anas platyrhynchos</i> nests.... 55</p> <p>Diet and breeding of White-bellied Sea-eagles <i>Haliaeetus leucogaster</i> in subtropical river habitats in the Northern Territory, Australia 41</p>	<p>Breeding (continued)</p> <p>Nest site selection and nesting behaviour of the Black-necked Stork <i>Ephippiorhynchus asiaticus australis</i> in northern New South Wales 95</p> <p>Nest site selection of the White-winged Fairy-wren <i>Malurus leucopterus edouardi</i> on Barrow Island... 84</p> <p>Parental time-budgets and breeding behaviour of the Little Eagle <i>Hieraetus morphnoides</i> in northern New South Wales..... 65</p> <p>Photographic identification of bands confirm age of breeding Carnaby’s Black Cockatoos <i>Calyptorhynchus latirostris</i> 52</p> <p>Some aspects of the biology of the Black Falcon <i>Falco subniger</i> 29</p> <p>Diet/Food/Foraging</p> <p>Aspects of the biology of the Grey Falcon <i>Falco hypoleucos</i> in the Pilbara region of Western Australia 11</p> <p>Aspects of the ecology of the Grey Falcon <i>Falco hypoleucos</i> in the South Australian arid zone 23</p> <p>Diet and breeding of White-bellied Sea-eagles <i>Haliaeetus leucogaster</i> in subtropical river habitats in the Northern Territory, Australia 41</p> <p>Diet of the White-headed Pigeon <i>Columba leucomela</i> near Lismore, northern New South Wales: fruit, seeds, flower buds, bark and grit 107</p> <p>Foraging by native and domestic ducks in urban lakes: behavioural implications of all that bread 101</p> <p>Some aspects of the biology of the Black Falcon <i>Falco subniger</i> 2</p> <p>Habitat Use</p> <p>Distribution, status and habitat of the Red Goshawk <i>Erythrotriorchis radiatus</i> in Queensland..... 3</p> <p>What facilitates urban colonisation by Crested Pigeons <i>Ocyphaps lophotes</i>?..... 73</p>
---	---

GENERAL INDEX

<p>Migrations/Movements</p> <p style="padding-left: 20px;">Local and regional movements of the Australian White Ibis <i>Threskiornis molucca</i> in eastern Australia 89</p> <p>Morphology</p> <p style="padding-left: 20px;">Morphometric data from recent specimens of and live individuals of the Grey Falcon <i>Falco hypoleucos</i> .. 16</p> <p>Plumage</p> <p style="padding-left: 20px;">An aberrant plumaged Chestnut Teal <i>Anas castanea</i> with a white neck-ring..... 57</p> <p style="padding-left: 20px;">Some aspects of the biology of the Black Falcon <i>Falco subniger</i> 29</p> <p>Population Studies</p> <p style="padding-left: 20px;">Distribution, status and habitat of the Red Goshawk <i>Erythrotriorchis radiatus</i> in Queensland..... 3</p>	<p>Preamble 2</p> <p>Recovery Round-up 39, 63, 88</p> <p>Seabird Islands</p> <p style="padding-left: 20px;">No. 253: Penguin Islet, Furneaux Group, Tasmania 61</p> <p style="padding-left: 20px;">No. 3/1 Belowla Island, New South Wales 8</p> <p>Species Management</p> <p style="padding-left: 20px;">Euthanasia of pest sturnids in nestboxes 49</p> <p>Surveys</p> <p style="padding-left: 20px;">Distribution, status and habitat of the Red Goshawk <i>Erythrotriorchis radiatus</i> in Queensland..... 3</p>
--	---

INDEX OF AUTHORS

Ahanger, F.A., Shah, G.M., Jan, U. & Bhat, B.A.	55	Jan, U., Bhat, B.A., Ahanger, F.A. & Shah, G.M.	55
Bamford, M.J. & Moro, D.	84	Jarman, M.R., Craven, P., Carlile, N. & Blackmore, C.J.	82
Bhat, B.A., Ahanger, F.A., Shah, G.M. & Jan, U.	55	Jones, D. & Chapman, R.	101
Black, D., Carey, M.J. & Thompson, J.P.	61	King, D.H., Tidemann, C.R. & Grarock, K.	49
Blackmore, C.J., Jarman, M.R., Craven, P. & Carlile, N.	82	Lill, A. & Mulhall, S.	73
Carey, M.J., Thompson, J.P. & Black, D.	61	Lindenmayer, D.B. & Viggers, K.L.	59
Carlile, N., Blackmore, C.J., Jarman, M.R. & Craven, P.	82	Lindsay, K.	60
Chapman, R. & Jones, D.	101	Maule, L.	112
Clancy, G.P. & Ford, H.A.	95	Mawson, P., Saunders, D.A. & Dawson, R.	52
Corbett, L. & Hertog, T.	41	Milton, D.	37
Craven, P., Carlile, N., Blackmore, C.J. & Jarman, M.R.	82	Moro, D. & Bamford, M.J.	84
Czechura, G.V., Hobson, R.G. & Stewart, D.A.	3	Mulhall, S. & Lill, A.	73
Dawson, R., Mawson, P. & Saunders, D.A.,	52	Munro, U. & Smith, A.C.M.	89
Debus, S.J.S.	2, 38, 65	Olsen, J. & Debus, S.J.S.	29
Debus, S.J.S. & Olsen, J.	29	Saunders, D.A., Dawson, R. & Mawson, P.	52
Doucette, L.I.	87	Schoenjahn, J.	16
Falkenberg, I.D.	23	Shah, G.M., Jan, U., Bhat, B.A. & Ahanger, F.A.	55
Ford, H.A. & Clancy, G.P.	95	Smith, A.C.M. & Munro, U.	89
Gosper, D.G.	107	Stewart, D.A., Czechura, G.V. & Hobson, R.G.	3
Grarock, K., King, D.H. & Tidemann, C.R.	49	Sutton, A.J.G.	11
Guay, P.J.	57	Thompson, J.P., Black, D. & Carey, M.J.	61
Hardy, J.	37	Tidemann, C.R., Grarock, K. & King, D.H.	49
Hertog, T. & Corbett, L.	41	Tredinnick, S.	111
Hobson, R.G., Stewart, D.A. & Czechura, G.V.,	3	Viggers, K.L. & Lindenmayer, D.B.	59

REFEREE PANEL FOR 2011

T. Aumann	I. Falkenberg	D. Jones	P. McDonald	M. Rathburn
M. Brooker	D. Franklin	S. Legge	P. Olsen	A. Robertson
G. Clancy	R. Green	A. Ley	C. Pavey	H. Robertson
G. Czechura	S. Halse	G. Luck	G. Pearson	G. Smith
T. Dennis	M. Harper	M. Mathieson	L. Pedler	M. Williams.
D. Drynan	L. Huxtable	R. Major	S. Pruett-Jones	

SPECIES INDEX

ACANTHIZA		ARDEA	
<i>apicalis</i>	Inland Thornbill: 4, 107*.	<i>intermedia</i>	Intermediate Egret: 44.
<i>chrysorrhoea</i>	Yellow-rumped Thornbill: 80*.	<i>modesta</i>	Eastern Great Egret: 44.
<i>inornata</i>	Western Thornbill: 107*.	<i>novaehollandiae</i>	White-faced Heron: 83.
<i>katherina</i>	Mountain Thornbill: 107*.	ARDENNA	
<i>lineata</i>	Striated Thornbill: 107*.	<i>spp.</i>	Shearwaters: 83
<i>pusilla</i>	Brown Thornbill: 107*.	<i>pacificus</i>	Wedge-tailed Shearwater: 83.
<i>reguloides</i>	Buff-rumped Thornbill: 80*.	<i>tenuirostris</i>	Short-tailed Shearwater: 62.
<i>rufa</i>	Rufous Treecreeper: 72.	ARENARIA	
ACANTHIZA		<i>interpres</i>	Ruddy Turnstone: 83.
<i>apicalis</i>	Inland Thornbill: 88*.	ARTAMUS	
ACCIPITER		<i>spp.</i>	woodswallows: 27.
<i>fasciatus</i>	Brown Goshawk: 66,107.	AYTHYA	
<i>novaehollandiae</i>	Grey Goshawk: 2.	<i>australis</i>	Hardhead: 44,103.
ACRIDOTHERES		BARNARDIUS	
<i>tristis</i>	Common Myna: 77.	<i>zonarius</i>	Australian Ringneck: 14,29.
ANAS		BUTORIDES	
<i>spp.</i>	ducks: 57.	<i>striatus</i>	Green-backed Heron: 59.
<i>castanea</i>	Chestnut Teal: 57.	CACATUA	
<i>chlorotis</i>	Brown Teal: 58.	<i>galerita</i>	Sulphur-crested Cockatoo: 44.
<i>clypeata</i>	Northern Shoveler: 57.	<i>sanguinea</i>	Little Corella: 29,43.
<i>crecca</i>	European Teal: 57.	CACTOSPIZA	
<i>discors</i>	Blue-winged Teal: 57.	<i>pallida</i>	Woodpecker Finch: 59.
<i>falcata</i>	Falcated Duck: 58.	CALIDRIS	
<i>flavirostris</i>	South American Teal: 57.	<i>ruficollis</i>	Red-necked Stint: 64*.
<i>formosa</i>	Baikal Teal: 58.	<i>tenuirostris</i>	Great Knot: 39*,63*.
<i>georgica</i>	Brown Pintail: 57.	CALYPTORHYNCHUS	
<i>platyrhynchos</i>	Northern Mallard: 55,58.	<i>latirostris</i>	Carnaby's Black Cockatoo: 52.
<i>strepera</i>	Gadwall: 57.	CEREOPSIS	
<i>superciliosa</i>	Pacific Black Duck: 44,78,101.	<i>novaehollandiae</i>	Cape Barren Goose: 62.
ANASTOMUS		CHENONETTA	
<i>oscitans</i>	Asian Openbill Stork: 98.	<i>jubata</i>	Australian Wood Duck: 102.
ANHINGA		CHROICOCEPHALUS	
<i>novaehollandiae</i>	Australasian Darter: 44.	<i>novaehollandiae</i>	Silver Gull: 62,83.
ANSERANAS		CICONIA	
<i>semipalmata</i>	Magpie Goose: 43.	<i>ciconia</i>	White Stork: 92.
ANTHOCHAERA		CIRCUS	
<i>carunculata</i>	Red Wattlebird: 40*.	<i>approximans</i>	Swamp Harrier: 5,83.
ANTHUS		CLIMACTERIS	
<i>novaeseelandiae</i>	Australasian Pipit: 31,83.	<i>rufa</i>	Rufous Treecreeper: 64*.
APROSMICTUS			
<i>erythropterus</i>	Red-winged Parrot: 44.		
AQUILA			
<i>spp.</i>	eagles: 72.		
<i>audax</i>	Wedge-tailed Eagle: 2,26,31,65,99.		

COLLURICINCLA <i>woodwardi</i>	Sandstone Shrike-thrush: 59.	EUDYPTULA <i>minor</i>	Little Penguin: 62,82.
COLUMBA <i>leucomela</i> <i>livia</i> <i>livia</i>	White-headed Pigeon: 107. Feral Pigeon: 73. Rock Dove: 34.	FALCO <i>berigora</i> <i>biarmicus</i> <i>cenchroides</i> <i>cherrug</i> <i>femorialis</i> <i>hypoleucos</i> <i>jugger</i> <i>longipennis</i> <i>peregrinus</i> <i>rusticolus</i> <i>sparverius</i> <i>subniger</i> <i>tinnunculus</i>	Brown Falcon: 5,25,29. Lanner Falcon: 29. Nankeen Kestrel: 14,30. Saker Falcon: 2,29. Aplomado Falcon: . Grey Falcon: 1,11,16,23,30. Laggard Falcon: 29. Australian Hobby: 14,18,26,31. Peregrine Falcon: 2,14,20,24,29. Gyr Falcon: 29. American Kestrel: . Black Falcon: 1,14,25,29. Common Kestrel: .
COPSYCHUS <i>sechellarum</i>	Seychelles Magpie Robin: 49.	GALLINULA <i>tenebrosa</i>	Dusky Moorhen: 78.
CORVUS <i>spp.</i> <i>bennetti</i> <i>coronoides</i> <i>mellori</i> <i>monoduloides</i> <i>orru</i> <i>splendens</i>	crows and ravens: 30. Little Crow: 26. Australian Raven: 26,33,67,83. Little Raven: 33. New Caledonian Crow: 59. Torresian Crow: 18. Common Crow: 55.	GLOSSOPSITTA <i>concinna</i>	Musk Lorikeet: 31.
COTURNIX <i>pectoralis</i>	Stubble Quail: 31.	GYMNORHINA <i>tibicen</i>	Australian Magpie: 83.
CRATICUS <i>tibicen</i>	Australian Magpie: 29,40*.	HAEMATOPUS <i>fuliginosus</i> <i>longirostris</i>	Sooty Oystercatcher: 62,63*,83. Australian Pied Oystercatcher: 39*,62.
DACELO <i>novaeguineae</i>	Laughing Kookaburra: 88*.	HALIAEETUS <i>leucogaster</i>	White-bellied Sea-Eagle: 2,30,41,98.
DENDROCYGNA <i>arcuata</i> <i>eytoni</i>	Wandering Whistling-Duck: 44. Plumed Whistling-Duck: 44.	HALIASTUR <i>sphenurus</i>	Whistling Kite: 14,26,43.
DROMAIUS <i>novaehollandiae</i>	Emu: 59.	HAMIROSTRA <i>melanosternon</i>	Black-breasted Buzzard: 2,26,59.
DRYMODES <i>brunneopygia</i>	Southern Scrub-robin: 64*.	HIERAAETUS <i>spp.</i> <i>morphnoides</i> <i>pennatus</i>	eagles: 72. Little Eagle: 26,34,65. Booted Eagle: 72.
EGRETTA <i>novaehollandiae</i> <i>picata</i>	White-faced Heron: 30. Pied Heron: 44.	HYDROPROGNE <i>caspia</i>	Caspian Tern: 62.
ENTOMYZON <i>cyanotis</i>	Blue-faced Honeyeater: 88*.	JABIRU <i>mycteria</i>	Jabiru: 99.
EOLOPHUS <i>roseicapillus</i>	Galah: 14,29,51.	LARUS <i>novaehollandiae</i> <i>pacificus</i>	Silver Gull: 78. Pacific Gull: 61,64*.
EOPSALTRIA <i>georgiana</i>	White-breasted Robin: 64*.	LEPTOPTILUS <i>crumeniferus</i> <i>dubius</i>	Marabou Stork: 98. Greater Adjutant Stork: 99.
EPHIPPIORHYNCHUS <i>asiaticus australis</i>	Black-necked Stork: 95.		
ERYTHROTRIORCHIS <i>radiatus</i>	Red Goshawk: 1,3.		

LICHENOSTOMUS		MIMUS	
<i>chrysoptus</i>	Yellow-faced Honeyeater: 39*.	<i>polyglottos</i>	Northern Mockingbird: 57.
<i>flavescens</i>	Yellow-tinted Honeyeater: 40*.		
<i>flavicollis</i>	Yellow-throated Honeyeater: 40*.	MIRAFRA	
<i>leucotis</i>	White-eared Honeyeater: 40*.	<i>javanica</i>	Horsfield's Bushlark: 31.
<i>melanops cassidix</i>	Helmeted Honeyeater: 88*.		
<i>unicolor</i>	White-gaped Honeyeater: 40*.	MONARCHA	
<i>virescens</i>	Singing Honeyeater: 39*,64*.	<i>melanopsis</i>	Black-faced Monarch: 64*.
LICHMERA		MORUS	
<i>indistincta</i>	Brown Honeyeater: 40*.	<i>serrator</i>	Australasian Gannet: 43,62.
LIMOSA		MYZOMELA	
<i>laponica</i>	Bar-tailed Godwit: 39*.	<i>erythrocephala</i>	Red-headed Honeyeater: 40*.
LOPHOICTINIA		NEOCHMIA	
<i>isura</i>	Square-tailed Kite: 2,5.	<i>temporalis</i>	Red-browed Finch: 64*.
LOPHOLAIMUS		NEOPHRON	
<i>antarcticus</i>	Topknot Pigeon: 110.	<i>percopterus</i>	Egyptian Vulture: 59.
MACRONECTES		NORTHIELLA	
<i>halli</i>	Northern Giant-Petrel: 63*.	<i>haematogaster</i>	Blue Bonnet: 27,31.
MALURUS		NUMENIUS	
<i>cyaneus</i>	Superb Fairy-wren: 88*.	<i>phaeopus</i>	Whimbrel: 39*.
<i>leucopterus</i>	White-winged Fairy-wren: 84.		
<i>leucopterus edouardi</i>	White-winged Fairy-wren (Barrow Island): 84	NYCTICORAX	
	White-winged Fairy-wren: 85 .	<i>caledonicus</i>	Nankeen Night-Heron: 44.
<i>leucopterus leuconotus</i>	Black-and-white Fairy-wren: 85.		
<i>leucopterus leucopterus</i>		OCYPHAPS	
		<i>lophotes</i>	Crested Pigeon: 27,29,73.
MANORINA		PACHYCEPHALA	
<i>melanocephala</i>	Noisy Miner: 73.	<i>pectoralis</i>	Golden Whistler: 64*,88*.
<i>melanophrys</i>	Bell Miner: 88*.	<i>rufiventris</i>	Rufous Whistler: 64*.
<i>melanotis</i>	Black-eared Miner: 40*.		
		PANDION	
MELILESTES		<i>cristatus</i>	Eastern Osprey: 30,43.
<i>megarhynchus</i>	Long-billed Honeyeater: 39*.	<i>haliaetus</i>	Osprey: 92.
MELIPHAGA		PASSER	
<i>lewini</i>	Lewin's Honeyeater: 39*.	<i>domesticus</i>	House Sparrow: 78.
MELITHREPTUS		PELAGODROMA	
<i>albogularis</i>	White-throated Honeyeater: 40*.	<i>marina</i>	White-faced Storm-Petrel: 61,83.
<i>gularis</i>	Black-chinned Honeyeater: 88*.		
<i>lunatus</i>	White-naped Honeyeater: 88*.	PELECANUS	
<i>validirostris</i>	Strong-billed Honeyeater: 40*	<i>conspicillatus</i>	Australian Pelican: 62,83.
MELOPSITTACUS		PETROCHELIDON	
<i>undulatus</i>	Budgerigar: 14,27,31.	<i>ariel</i>	Fairy Martin: 31.
MICROCARBO		PETROICA	
<i>melanoleucos</i>	Little Pied Cormorant: 83.	<i>phoenicea</i>	Flame Robin: 64*.
MICROECA		PHALACROCORAX	
<i>flavigaster</i>	Lemon-bellied Flycatcher: 40*.	<i>carbo</i>	Great Cormorant: 83.
		<i>fuscescens</i>	Black-faced Cormorant: 62.
		<i>sulcirostris</i>	Little Black Cormorant: 83.
MILVUS		<i>varius</i>	Pied Cormorant: 83.
<i>migrans</i>	Black Kite: 25,55.		

PHYLIDONYRIS <i>nigra</i>	White-cheeked Honeyeater: 40*,88*.	STREPERA <i>graculina</i>	Pied Currawong: 73.
PLATALEA <i>regia</i>	Royal Spoonbill: 44.	STREPTOPELIA <i>chinensis</i>	Spotted Turtle-Dove: 73.
PLATYCERCUS <i>elegans</i> <i>eximius</i>	Crimson Rosella: 50. Eastern Rosella: 51.	STRUTHIO <i>camelus</i>	Ostrich: 59.
PLECTORHYNCHA <i>lanceolata</i>	Striped Honeyeater: 88*.	STURNUS <i>tristis</i> <i>vulgaris</i>	Common Myna: 49,78. Common Starling: 31,49.
PLEGADIS <i>falcinellus</i>	Glossy Ibis: 44.	SULA <i>dactylatra</i> <i>leucogaster</i>	Masked Booby: 63*. Brown Booby: 63*.
PODICEPS <i>nigricollis</i>	Eared Grebe: 57.	TADORNA <i>radjah</i>	Radjah Shelduck: 44.
POMATOSTOMUS <i>temporalis</i>	Grey-crowned Babbler: 88*.	TAENIOPYGIA <i>guttata</i>	Zebra Finch: 27,31.
PORPHYRIO <i>porphyrio</i>	Purple Swamphen: 44.	THALASSARCHE <i>cauta</i>	Shy Albatross: 63*.
PROBOSCIGER <i>aterrimus</i>	Palm Cockatoo: 59.	THALASSEUS <i>bergii</i>	Crested Tern: 62,64*.
PSEPHOTUS <i>chrysopterygius</i> <i>haematonotus</i>	Golden-shouldered Parrot: 8. Red-rumped Parrot: 27.	THRESKIORNIS <i>aethiopicus</i> <i>molucca</i>	Sacred Ibis: 89. Australian White Ibis: 44,73,89.
PTILONORHYNCHUS <i>violaceus</i>	Satin Bowerbird: 59.	TREGELLASIA <i>capito</i>	Pale-yellow Robin: 64*.
PTILORIS <i>victoriae</i>	Victoria's Riflebird: 40*.	TURNIX <i>velox</i>	Little Button-quail: 31.
SITTA <i>pusilla</i>	Brown-headed Nuthatch: 59.	XANTHOTIS <i>macleayana</i>	Macleay's Honeyeater: 40*.
SPHECOTHERES <i>vieilloti</i>	Australasian Figbird: 109.		
STERNA <i>striata</i>	White-fronted Tern: 62.		