

**THE AUSTRALIAN
BIRD BANDER**

**VOLUME 13
1975**

Honorary Editor:

S. G. Lane

Published Quarterly by

The Bird Banders' Association of Australia

GENERAL INDEX

Age:			
Longevity Records—A need for Caution	77	Petrel:	
Retraction of a Longevity Record for a 36-		Black-winged Petrel on Mutton Bird Island,	
year-old Herring Gull	20	New South Wales	53
Banding:		President's Message	60
Banding and Observations of Rainbow Bee-		Projects:	
eaters	71	Kestrel Study Group	87
Banding Japanese Snipe in Tasmania	12	Wader Colour Marking Project	21, 82
The Effect of a Bushfire on the Banding of		Recent Literature	19, 40, 86
Flame Robins in the Brindabella Ranges	75	Recovery Round-up	16, 38, 62, 83
Results from Banding Yellow-tufted Honey-		Reports:	
eaters	3	Annual General Meeting	22
Report of Wintering Flame Robins in the		Secretary's	22
Cobram District, Victoria	47	Reviews:	
A Report on Nankeen Kestrel Banding in		A Field Guide to Australian Birds: Passerines	42
New South Wales	27	Australian Bush Birds in Colour	43
The White-winged Widowbird near Windsor,		Bird Guide of Thailand	20
N.S.W.	61	Bird Life	67
Bee-eater:		Checklist of the Birds of Australia, Part 1—	
Banding and Observations of Rainbow Bee-		Non-passerines	65
eaters	71	The Dictionary of Birds in Colour	87
Classification:		Fish of the Ocean and Shore	67
Nomenclature and Classification	15	Living Insects	67
Colour Marking:		Robin:	
Wader Colour Marking Project	21, 82	The Effect of a Bushfire on the Banding of	
Financial Statement—1974	23	Flame Robins in the Brindabella Ranges	75
Frogmouth:		Report of Wintering Flame Robins in the	
Variations in the Mass of Captive Tawny		Cobram District, Victoria	47
Frogmouths	9	Seabirds:	
Gull:		Black-winged Petrel on Mutton Bird Island,	
Retraction of a Longevity Record for a 36-		New South Wales	53
year-old Herring Gull	20	Further Notes on the Seabirds of the Solitary	
Honeyeater:		Islands, New South Wales	56
The Enigma of Colour Change in the Oral		Seabird Islands:	
Flanges of Honeyeaters	31	Lion Island, New South Wales (No 11)	34
Results from Banding Yellow-tufted Honey-		North Rock, Solitary Islands, New South Wales	
eaters	3	(No 13)	78
Kestrel:		North-West Solitary Island, New South Wales	
A Report on Nankeen Kestrel Banding in		(No 12)	58
New South Wales	27	South Solitary Island, New South Wales (No	
Kestrel Study Group	87	14)	80
Longevity:		South-West Solitary Island, New South Wales	
Longevity Records—A need for Caution	77	(No 10)	14
Retraction of a Longevity Record for a 36-		Snipe:	
year-old Herring Gull	20	Banding Japanese Snipe in Tasmania	12
Mass:		Soft Parts:	
Variations in the Mass of Captive Tawny		The Enigma of Colour Change in the Oral	
Frogmouths	9	Flanges of Honeyeaters	31
New Members	15, 33, 67, 82	Waders:	
Nomenclature and Classification	15	Wader Colour Marking Project	21, 82
Notices:		Widowbird:	
Annual General Meeting Notice	67	The White-winged Widowbird near Windsor,	
Nomenclature and Classification	15	N.S.W.	61

INDEX OF AUTHORS

Balmford, R.	67	Leishman, A. J.	87
Bateman, I. M.	47	McCulloch, E. M.	9
Bell, H. L.	20	McGill, A. R.	42, 65
Cam, G. R. & A. E.	27	Milledge, D.	12
Carruthers, R. K.	71	Morris, A. K.	3, 58, 78
Dow, D. D.	31	Murray, M. D.	67
Holmes, N. G.	53	Purchase, D.	77
Lane, S. G.	14, 34, 43, 56, 61, 80	Stokes, A.	75

SPECIES INDEX

This index follows the *Checklist of the Birds of Australia, I. Non-passerines*, Melbourne: RAOU, 1975; the Passerines generally following *The Official Checklist of the Birds of Australia* (Second Edition), 1926, with subsequent amendments, and *The Birds of Sydney*, 1958, by K. A. Hindwood and A. R. McGill.

*Recoveries and retraps.

ACANTHIZA <i>chrysorrhoa</i>	Yellow-tailed Thornbill: photo 18*.	ARENARIA <i>interpres</i>	Turnstone: 56.
<i>lineata</i>	Striated Thornbill: 64*.	CACATUA <i>roseicapilla</i>	Galah: 63*, 84*.
<i>pusilla</i>	Brown Thornbill: 64*.	CALIDRIS <i>ruficollis</i>	Red-necked Stint: 84*.
ACANTHORHYNCHUS <i>tenuirostris</i>	Eastern Spinebill: 7.	CAPRIMULGUS <i>guttatus</i>	Spotted Nightjar: 9.
AEGINTHA <i>temporalis</i>	Red-browed Finch: 18*.	CEREOPSIS <i>novaehollandiae</i>	Cape Barren Goose: photo 63*, 84*.
ANAS <i>castanea</i>	Chestnut Teal: 84*.	CEYX <i>azureus</i>	Azure Kingfisher: 63*.
<i>gibberifrons</i>	Grey Teal: 17*, 39*, 84*.	CHERAMOECA <i>leucosternum</i>	White-backed Swallow: 9.
ANHINGA <i>melanogaster</i>	Darter: 62*.	CIRCUS <i>aeruginosus</i>	Swamp Harrier: 63*.
ANSERANAS <i>semipalmata</i>	Pied Goose: 39*.	CISTICOLA <i>exilis</i>	Golden-headed Fantail-warbler: 57.
ANTHOCHAERA <i>carunculata</i>	Red Wattlebird: 40*.	CLIMACTERIS <i>leucophaea</i>	White-throated Tree-Creeper: 64*.
<i>chrysoptera</i>	Little Wattlebird: 7, 40*, 64*.	COLLURICINCLA <i>harmonica</i>	Grey Shrike-thrush: 39*, 85*.
ANTHUS <i>australis</i>	Australian Pipit: 57, 64*.	<i>megarhyncha</i>	Rufous Shrike-thrush: 18*.
ARDEA <i>novae-hollandiae</i>	White-faced Heron: 15, photo 25, 56.	COLUMBA <i>livia</i>	Domestic (Feral) Pigeon: 17*.
		CORCORAX <i>melanorhamphus</i>	White-winged Chough: 64*.

CORVUS <i>bennetti</i> <i>mellori</i>	Little Crow: 18*. Little Raven: 18*, 40*.	LARUS <i>argentatus</i> <i>novaehollandiae</i>	Herring Gull: 20*, 77*. Silver Gull: 15, 37, 39*, 57, 79, 81, 84*.
DACELO <i>novaeguineae</i>	Kookaburra: 63*.	LICHMERA <i>indistincta</i>	see <i>Gliciphila indistincta</i> .
DICAEUM <i>hirundinaceum</i>	Mistletoe-bird: 9.	MACRONECTES <i>giganteus</i>	Southern Giant Petrel: 16*, 38*, 62*, 83*. Northern Giant Petrel: 16*, 38*, 83*.
DIOMEDEA <i>exulans</i>	Wandering Albatross: 16*, 38*, 62*, 83*.	<i>halli</i>	
DUCULA <i>spilorrhoea</i>	Torres Straits Pigeon: 17*.	MALURUS <i>cyaneus</i> <i>lamberti</i>	Superb Blue Wren: 64*, 85*. Variegated Wren: 64*.
EGRETTA <i>sacra</i>	Reef Heron: 15, 57, 59.	MANORINA <i>melanophrys</i> <i>melanocephala</i>	Bell Miner: 18*, 39*. see <i>Myzantha melanocephala</i> .
EOPSALTRIA <i>australis</i>	Southern Yellow Robin: 17*, 39*, 63*, 85*.	MELIORNIS <i>novaehollandiae</i>	New Holland Honeyeater: 7.
EUDYPTULA <i>minor</i>	Little Penguin: 11, 35, 38*, 57, 62*, 81, 83*.	MELIPHAGA <i>chrysops</i> <i>fusca</i>	Yellow-faced Honeyeater: 3. Fuscous Honeyeater: 3, 31, 39*. Lewin Honeyeater: 5, 64*. Yellow-tufted Honeyeater: photo 1, 3*, 18*, 85*. White-plumed Honeyeater: 3, 18*, 33.
EUPLECTES <i>albonotatus</i>	White-winged Widowbird: photo 61.	<i>lewini</i> <i>melanops</i>	
EUROSTOPODUS <i>guttatus</i>	see <i>Caprimulgus guttatus</i> .	<i>penicillata</i>	
FALCO <i>cenchroides</i> <i>longipennis</i> <i>tinnunculus</i>	Nankeen Kestrel: 27, 84*. Little Falcon: 84*. European Kestrel: 30.	MELITHREPTUS <i>validirostris</i>	Strong-billed Honeyeater: photo 85*.
FULICA <i>atra</i>	Coot: 84*.	MEROPS <i>ornatus</i>	Rainbow Bee-eater: 71*.
GALLINAGO <i>hardwickii</i>	Japanese Snipe: 12, photo 17*.	MYZANTHA <i>flavigula</i> <i>melanocephala</i>	Yellow-throated Miner: 64*. Noisy Miner: 8, 33, photo 64*, 85*.
GLICIPHILA <i>indistincta</i>	Brown Honeyeater: 18*, 33, 85*.	NINOX <i>novaeseelandiae</i>	Spotted (=Boobook) Owl: 51, 84*.
GRALLINA <i>cyanoleuca</i>	Magpie-Lark: 39*.	OREOCINCLA <i>lunulata</i>	Ground Thrush: 64*.
GYMNORHINA <i>hypoleuca</i>	White-backed Magpie: 18*.	ORIOLOUS <i>sagittatus</i>	Olive-backed Oriole: photo 40*.
HAEMATOPUS <i>fuliginosus</i>	Sooty Oystercatcher: 15, 56, 58, 79.	PACHYCEPHALA <i>olivacea</i> <i>pectoralis</i>	Olive Whistler: 64*. Golden Whistler: photo 39*, 63*, 85*.
HALCYON <i>sancta</i>	Sacred Kingfisher: 53, 72.	PELAGODROMA <i>marina</i>	White-faced Storm-Petrel: 39*.
HALIAEETUS <i>leucogaster</i>	White-breasted Sea Eagle: 59.	PELECANUS <i>conspicillatus</i>	Australian Pelican: 83*, photo 84.
HALOBAENA <i>caerulea</i>	Blue Petrel: 37.		
HIRUNDO <i>neoxena</i>	Welcome Swallow: 9.		

PETROICA <i>phoenicea</i>	Flame Robin: 47*, 63*, 75.	STREPTOPELIA <i>chinensis</i>	Spotted Dove: 63*.
PHALACROCORAX <i>carbo</i>	Black Cormorant: 37, 39*, 63*.	SULA <i>dactylatra</i>	Masked Booby: 54.
<i>fuscescens</i>	Black-faced Cormorant: 17*, 63*.	TADORNA <i>tadornoides</i>	Mountain Duck: 63*, 84*.
<i>melanoleucos</i>	Little Pied Cormorant: 17*, 37, 83*.	THRESKIORNIS <i>molucca</i>	White Ibis: 84*.
<i>sulcirostris</i>	Little Black Cormorant: 37.	<i>spinipectus</i>	Straw-necked Ibis: 39*, 63*.
<i>varius</i>	Pied Cormorant: 17*, 63*.	TRINGA <i>incana</i>	Wandering Tattler: 56.
PHALAELOPTILUS <i>nuttallii</i>	American Poor-Will: 9.	TURDUS <i>merula</i>	Blackbird: 39*.
PHILEMON <i>corniculatus</i>	Noisy Friarbird: 85*.	TURNIX <i>velox</i>	Little Button-quail: photo 45.
PHOEBETRIA <i>palpebrata</i>	Light-mantled Albatross: 83*.	VANELLUS <i>miles</i>	Masked Plover: 39*.
PHYLIDONYRIS <i>pyrrhoptera</i>	Crescent Honeyeater: 64*.		
PODARGUS <i>strigoides</i>	Tawny Frogmouth: 9.		
POMATOSTOMUS <i>ruficeps</i>	Chestnut-crowned Babbler: 6.		
PTERODROMA <i>leucoptera</i>	Gould Petrel: 62*.		
<i>nigripennis</i>	Black-winged Petrel: photo 53*, photo 55*.		
<i>pycrofti</i>	Pycroft Petrel: 54.		
<i>solandri</i>	Providence Petrel: 54, 83*.		
PUFFINUS <i>carneipes</i>	Flesh-footed Shearwater: 16*.		
<i>gavia</i>	Fluttering Shearwater: 37.		
<i>griseus</i>	Sooty Shearwater: 35, 57, 81.		
<i>pacificus</i>	Wedge-tailed Shearwater: 14, 16*, 35, 38*, 53, 56, 58, 62*, 79, 80, 83*.		
<i>tenuirostris</i>	Short-tailed Shearwater: 17*, 36, 38*, 57, 62*, 81.		
RHIPIDURA <i>fuliginosa</i>	Grey Fantail: 57, 63*.		
<i>rufifrons</i>	Rufous Fantail: 39*, 84*.		
SERICORNIS <i>frontalis</i>	White-browed Scrub-Wren: 18*, 85*.		
<i>magnirostris</i>	Large-billed Scrub-Wren: 85*.		
SERICULUS <i>chrysocephalus</i>	Regent Bowerbird: 18*.		
STERCORARIUS <i>skua</i>	Great Skua: photo 69, 84*.		
STERNA <i>bergii</i>	Crested Tern: 17*, 37, 56, 59, 63*, 77*, 79, 81, 84*.		
<i>fuscata</i>	Sooty Tern: 17*.		
STREPERA <i>graculina</i>	Pied Currawong: 18*, 85*.		