
Blue Bonnet Northiella haematogaster Species No.: 297 Band size: 24 (23)



Morphometrics:

Measurements shown here are for the nominate *N.h. haematogaster* of s-w NSW, n-w Vic and e. SA

Adult Male	Adult Female
129 – 143 mm	119 – 134 mm
167 – 189 mm	153 – 172 mm
9.8 – 11.4 mm	9.4 – 10.4 mm
65 – 105 g	68 – 90 g
	129 – 143 mm 167 – 189 mm 9.8 – 11.4 mm

Ageing:

Adult (1+) Juvenile

Bill: mostly pearl-grey with slightly darker dull orange-yellow changing to grey

brownish-grey tip and lower mandible; within 6-8 weeks of fledging;

Cere: dark grey; greyish-brown;

Juveniles are very similar to adult females, but always slightly duller in plumage; Immatures are similar to respective adults but usually retain juvenile remiges and rectrices; Immature males usually retain the juvenile underwing bar;

Immature females always have an underwing bar as do most adult females;

Sexing:

Adults sexually dimorphic on plumage with males being more brightly coloured and males are generally larger than the females in all measurements;

The facial disc of males is blue to violet whereas the female is far duller;

Adult males have a pin-like extension to primaries, but this is absent in females;

Females have only about one-third the amount of red on the belly as males; Incubation by female only.