
Rainbow Pitta Pitta Iris Species No.: 354 Band size: 05



Morphometrics:

Two subspecies – nominate *P.i. iris* in coastal and sub-coastal Arnhem Land and n. NT; *P.i. johnstoneiana* in coastal and sub-coastal div. n-w WA. Measurements are of the nominate:

	Adult Male	Adult Female
Wing:	104 – 112 mm	104 – 111 mm
Tail:	36 – 42 mm	38 – 43 mm
Weight:	52 – 68 g	57.8 – 88 g

Ageing:

Adult (2+) Juvenile/Immature

Bill: grey-black; grey-black;

Gape: grey-black; bright orange to orange-buff with age

and to grey-black by 6 months of age;

Legs silvery-grey; grey-pink;

Juveniles moult to immature plumage soon after fledging and retain juvenile primaries that are slightly narrower than adults and with more diffuse olive-grey tips to p1 - p5;

Moult to complete adult plumage commences at about 1 year of age, coinciding with adult post-breeding moult. Thus adults are aged (2+);

Note that some adult birds have a streaked appearance, but this does not appear to be an age character.

Sexing:

Sexes are similar in size and plumage. However, adult females may tend to have more buff-yellow on rear flanks and may have less intense red on lower belly and undertail coverts than adult males, but these suggestions are unreliable for sexing because of overlap;

Both sexes develop prominent brood patch.