
Grey Goshawk *Accipiter novaehollandiae* Species No.: 220 Band size: Mainland 10M 27F Tasmania 10M 12F



Morphometrics:

	Mainland Aust.		Tasmania	
	Adult Male	Adult Female	Adult Male	Adult Female
Wing:	242 – 275 mm	281 – 328 mm	250 – 256 mm	297 – 314 mm
8th Primary:	172 – 201 mm	202 – 240 mm	182 – 187 mm	214 – 226 mm
Tail:	166 – 204 mm	205 – 241 mm	182 – 187 mm	219 – 238 mm
Bill (cere):	18.2 – 20.4 mm	21.1 – 26.1 mm	18.7 – 19.8 mm	21.2 – 24.3 mm
Tarsus:	64.0 – 74.5 mm	77.1 – 86.2 mm	70.2 – 71.6 mm	76.3 – 85.6 mm
Weight:	238 – 422 g	530 – 894 g	380 – 470 g	740 – 835 g

Ageing:

	Adult (2+)	Immature (1)	Juvenile (J)
Iris:	red, to deep red;	apricot to reddish, yellow	dark brown to brown, or yellow
		to orange;	to grey-brown;
Remiges & rectrices:	unbarred;	barring fading with wear, some have growth bars;	barred, some have conspicuous growth bars;
Primary tips:	square to rounded;	intermediate because of wear:	pointed;

White morph juvenile/Immature plumage is similar to adult except as described above; Grey morph juvenile/Immature is quite different to adult – see illustrations above; Moult to adult plumage commences at about one year old, so age adults (2+).

Sexing:

Males and females of all ages can be sexed on size as shown above, with no overlap in measurements for the two sexes. Both sexes incubate.