
## Australasian Bittern Botaurus poiciloptilus





## Morphometrics:

|                          | Adult Male       | Adult Female    |
|--------------------------|------------------|-----------------|
| Bill:                    | 67.4 – 74.6 mm   | 63.0 – 70.9 mm  |
| Wing:                    | 339 – 378 mm     | 309 – 355 mm    |
| 8 <sup>th</sup> Primary: | 226 – 255 mm     | 205 – 233 mm    |
| Tail:                    | 110 – 135 mm     | 102 – 121 mm    |
| Tarsus:                  | 100.1 – 111.7 mm | 89.2 – 104.6 mm |
| Weight:                  | 875 – 2085 g     | 571 – 1135 g    |

## Ageing:

Adult (2+) Juvenile

Bill: straw yellow to buff with dark grey, greenish yellow to olive-grey with dark

dark blue-grey or grey-black culmen; grey-brownish culmen;

orange-buff to brown or vellow: Iris: vellow:

Facial skin: encroaches onto base of bill, in some light green, greenish yellow behind and

> light grey or light bluish grey to grey, below eye with narrow black-green

but in others green and darker at stripe from eye to nostrils; tomia with dark olive-brown stripe from

eye to nostrils;

Little data available on plumage, except that juveniles tend to be lighter than adults, but some adults are very pale not unlike juveniles;

No information on moult sequences, so age all adults as (1+).

## Sexing:

Some adult males are larger than adult females, but there are overlaps in all measurements – see measurements above:

There is no information on incubation.