

Index to Volume 43

Compiled by Peter Ewin

General Index

Abstracts

- ABSA Conference, The Hunter Wetland Centre,
Newcastle, NSW, 16 March, 2019 114

Banding

- Assessment of avian site fidelity in arid *Acacia*
shrubland based on a ten-year mark-recapture study in
central Australia 8
- Assessment of band recoveries for four Australian
falcon species 81
- Reproductive effort of urban Little Ravens: nest site
selection and brood defence 42

Behaviour

- The potential for food resource partitioning among the
predominant species in a Mountain Ash (*Eucalyptus*
regnans) forest bird assemblage 89

Book and CD Reviews

- Australian Birds of Prey in Flight, a photographic
guide 117
- Tawny Frogmouth, 2nd Edition 116

Breeding

- Reproductive effort of urban Little Ravens: nest site
selection and brood defence 42
- Reproductive effort of urban Little Ravens: the nest
attendance regime 65

Diet/Food/Foraging

- Faecal analysis reveals the insectivorous diet of the
Black-breasted Button-quail *Turnix melanogaster* 19
- The potential for food resource partitioning among the
predominant species in a Mountain Ash (*Eucalyptus*
regnans) forest bird assemblage 89

Morphology

- Moult timing and morphometrics of Mangrove
Gerygones: a comparison of monsoon tropical and
subtropical populations 106

Population Studies

- Assessment of avian site fidelity in arid *Acacia*
shrubland based on a ten-year mark-recapture study in
central Australia 8
- Recovery Round-up 118

Seabird Islands

- No. 39/1 Flinders Islet, Five Islands Group, New South
Wales 36
- No. 41/1 Martin Islet, Five Islands Group, New South
Wales 39

Surveys

- A method for investigating Rufous Scrub-birds using
automated recording and rapid, semi-automated data
analysis 57
- Assessment of avian site fidelity in arid *Acacia*
shrubland based on a ten-year mark-recapture study in
central Australia 8
- Effectiveness of transects, point counts and area
searches for bird surveys in arid *Acacia* shrubland 31

Vocalisations

- The distribution of a flute-like dialect in territorial
songs of the Superb Lyrebird *Menura novaehollandiae*
in the New South Wales North Coast and New England
Tableland Bioregions 1
- Unravelling the mysteries of the Buff-breasted
Button-quail *Turnix olivii*: a possible booming call
revealed 26

Index to Authors

- Carlile, N. 39
- Carlile, N. & Lloyd, C. 36
- Clancy, G. 117
- Coleman, J.T., Noske, R.A., Smith, B. & Mulyani, Y.A. 106
- Debus, S.J.S., Olsen, J. & Larkin, C. 81
- Larkin, C., Debus, S.J.S. & Olsen, J. 81
- Lill, A. 42
- Lill, A. 65
- Lill, A. 89
- Lisle, A., Murray, P. & Webster, P. 19
- Lloyd, C. & Carlile, N. 36

- Mathieson, M.T. & Smith, G.C. 26
- Morton, S.R., Pascoe, B.A., Schlesinger, C.A. & Pavey,
C.R. 8
- Morton, S.R., Pascoe, B.A., Schlesinger, C.A. & Pavey,
C.R. 31
- Mulyani, Y.A., Coleman, J.T., Noske, R.A. & Smith, B. 106
- Murray, P., Webster, P. & Lisle, A. 19
- Noske, R.A., Smith, B., Mulyani, Y.A. & Coleman, J.T. 106
- O'Leary, M. & Stuart, A. 57
- Olsen, J., Larkin, C. & Debus, S.J.S. 81
- Pascoe, B.A., Schlesinger, C.A., Pavey, C.R. & Morton,
S.R. 8

Index to Authors (*cont.*)

Pascoe, B.A., Schlesinger, C.A., Pavey, C.R. & Morton, S.R.....	31	Schlesinger, C.A., Pavey, C.R., Morton, S.R. & Pascoe, B.A.....	31
Pavey, C.R., Morton, S.R., Pascoe, B.A. & Schlesinger, C.A.....	8	Smith, B., Mulyani, Y.A., Coleman, J.T. & Noske, R.A.....	106
Pavey, C.R., Morton, S.R., Pascoe, B.A. & Schlesinger, C.A.....	31	Smith, G.C. & Mathieson, M.T.....	26
Powys, V., Probets, C. & Taylor, H.....	1	Stuart, A. & O'Leary, M.	57
Probets, C., Taylor, H. & Powys, V.....	1	Taylor, H., Powys, V. & Probets, C.....	1
Schlesinger, C.A., Pavey, C.R., Morton, S.R. & Pascoe, B.A.....	8	Weaving, M.....	116
		Webster, P., Lisle, A. & Murray, P.....	19

Referee Panel for 2019

Isabel Castro	Graham Fry	Andrew Ley	Ian McAllan
Stephen Debus	Carl Gosper	Alan Lill	Kevin Mills
Hugh Ford	Victor Hurley	Richard Loyn	Mangalam Sankupellay
John Farrell	Alan Leishman	Alex Maisey	Geoff Smith

Species Index

ACANTHIZA		ANAS	
<i>apicalis</i>	Inland Thornbill: 11,34.	<i>platyrhynchos</i>	Mallard: 50.
<i>chrysorrhoa</i>	Yellow-rumped Thornbill: 10,34.	ANTHOCHAERA	
<i>lineata</i>	Striated Thornbill: 91,119*.	<i>carunculata</i>	Red Wattlebird: 45,105.
<i>pusilla</i>	Brown Thornbill: 56,91.	<i>chrysoptera</i>	Little Wattlebird: 56.
<i>robustirostris</i>	Slaty-backed Thornbill: 15.	APHELOCEPHALA	
<i>uropygialis</i>	Chestnut-rumped Thornbill: 8.	<i>leucopsis</i>	Southern Whiteface: 10.
ACANTHAGENYS		AQUILA	
<i>rufogularis</i>	Spiny-cheeked Honeyeater: 10,34.	<i>audax</i>	Wedge-tailed Eagle: 50,86,105.
ACANTHORHYNCHUS		<i>chrysaetos</i>	Golden Eagle: 50.
<i>tenuirostris</i>	Eastern Spinebill: 91,119*.	ARDENNA	
ACCIPITER		spp.	shearwaters: 38.
<i>cooperii</i>	Cooper's Hawk: 50.	<i>pacifica</i>	Wedge-tailed Shearwater: 37,39,118*.
<i>fasciatus</i>	Brown Goshawk: 51.	<i>tenuirostris</i>	Short-tailed Shearwater: 36,39.
<i>nisus</i>	Sparrowhawk: 50.	ARENARIA	
<i>novaeollandiae</i>	Grey Goshawk: 51.	<i>interpres</i>	Ruddy Turnstone: 38,118*.
<i>striatus</i>	Sharp-shinned Hawk: 50.	ARTAMUS	
ACRIDOTHERES		<i>cinereus</i>	Black-faced Woodswallow: 18.
<i>tristis</i>	Common Myna: 42,120*.	ASIO	
ALECTURA		<i>otus</i>	Long-eared Owl: 50.
<i>lathamii</i>	Australian Brush-turkey: 118*.	ATRICHORNIS	
ALISTERUS		<i>rufescens</i>	Rufous Scrub-bird: 57.
<i>scapularis</i>	Australian King-Parrot: 105.	<i>rufescens ferrieri</i>	Southern Rufous Scrub-bird: 57.
AMAZONA		<i>rufescens rufescens</i>	Northern Rufous Scrub-bird: 57.
<i>ventralis</i>	Hispaniolan Parrot: 50.		

Species Index (cont.)

AVICEDA <i>subcristata</i>	Pacific Baza: 51.	CORACINA <i>novaehollandiae</i>	Black-faced Cuckoo-shrike: 34,56.
BARNARDIUS <i>zonarius</i>	Australian Ringneck: 34.	CORMOBATES <i>leucophaeus</i>	White-throated Treecreeper: 89.
BUBO <i>virginianus</i>	Great Horned Owl: 50.	CORVUS spp.	crows and ravens: 42,65,101.
BUTEO <i>buteo</i>	Buzzard: 50.	<i>albus</i>	Pied Crow: 50,73.
<i>jamaicensis</i>	Red-tailed Hawk: 50.	<i>bennetti</i>	Little Crow: 52,73.
<i>platypterus</i>	Broad-winged Hawk: 50.	<i>brachyrynchos</i>	American Crow: 50,73.
<i>ridgwayi</i>	Ridgway's Hawk: 50.	<i>capensis</i>	Black Crow: 50,73.
<i>rufofuscus</i>	Jackal Buzzard: 50.	<i>caurinus</i>	Northwestern Crow: 74.
<i>swainsonii</i>	Swainson's Hawk: 50.	<i>corax</i>	Common Raven: 51,73.
CACATUA <i>galerita</i>	Sulphur-crested Cockatoo: 51,101.	<i>cornix</i>	Hooded Crow: 75.
<i>sanguinea</i>	Little Corella: 56.	<i>corone</i>	Carion Crow: 50.
CACOMANTIS <i>flabelliformis</i>	Fan-tailed Cuckoo: 101.	<i>coronoides</i>	Australian Raven: 50,73,105.
CALIDRIS <i>canutus</i>	Red Knot: 118*.	<i>cryptoleucus</i>	Chihuahuan Raven: 50,74.
<i>tenuirostris</i>	Great Knot: 118*.	<i>frugilegus</i>	Rook: 50,73.
CALLOCEPHALON <i>fimbriatum</i>	Gang-Gang Cockatoo: 101.	<i>hawaiiensis</i>	Hawaiian Crow: 53,73.
CALYPTORHYNCHUS <i>funereus</i>	Yellow-tailed Black-Cockatoo: 101.	<i>imparatus</i>	Taumalipas Crow: 74.
CATHARTES <i>aura</i>	Turkey Vulture: 50.	<i>kubaryi</i>	Mariana Crow: 73.
CERTHIONYX <i>variegatus</i>	Pied Honeyeater: 11.	<i>leucognaphalus</i>	White-necked Crow: 50,73.
CHALCITES <i>basalis</i>	Horsfield's Bronze-Cuckoo: 18,34.	<i>macrorhynchos</i>	Thick-billed Crow: 51,73.
<i>lucidus</i>	Shining Bronze-Cuckoo: 101.	<i>mellori</i>	Little Raven: 42,65,91.
CHROICOCEPHALUS <i>novaehollandiae</i>	Silver Gull: 36,39,56.	<i>monedula</i>	Jackdaw: 50,74.
CINCLORAMPHUS <i>mathewsi</i>	Rufous Songlark: 18.	<i>orru</i>	Torresian Crow: 51,73,120*.
CIRCUS <i>approximans</i>	Swamp Harrier: 41.	<i>ossifragus</i>	Fish Crow: 51,73.
<i>cyaneus</i>	Northern Harrier: 50.	<i>splendens</i>	House Crow: 51,73.
CLIMACTERIS <i>erythrops</i>	Red-browed Treecreeper: 101.	<i>tasmanicus</i>	Forest Raven: 65.
COLLURICINCLA <i>harmonica</i>	Grey Shrike-thrush: 4,18,34,91.	<i>tasmanicus boreus</i>	Northern Forest Raven: 51,73.
<i>megarhyncha</i>	Little Shrike-thrush: 120*.	<i>tasmanicus tasmanicus</i>	Tasmanian Forest Raven: 51,73.
COLUMBA <i>livia</i>	Rock Dove: 56.	CRACTICUS <i>nigrogularis</i>	Pied Butcherbird: 18.
<i>oenas</i>	Stock Dove: 51.	<i>torquatus</i>	Grey Butcherbird: 18,52.
<i>palumbus</i>	Wood Pigeon: 50.	DACELO <i>novaeguineae</i>	Laughing Kookaburra: 1,42,101,119*.
		DAPHOENOSITTA <i>chrysoptera</i>	Varied Sittella: 18,105.
		DICAEUM <i>hirundinaceum</i>	Mistletoebird: 10,34,105.
		DRYCOPUS <i>martius</i>	Black Woodpecker: 51.
		EMBLEMA <i>pictum</i>	Painted Finch: 18.
		EOLOPHUS <i>roseicapilla</i>	Galah: 48.
		EOPSALTRIA <i>australis</i>	Eastern Yellow Robin: 91,120*.
		EPHIANURA <i>tricolor</i>	Crimson Chat: 11.
		EUDYNAMYS <i>scolopaceus</i>	Koel: 51.

Species Index (cont.)

EUDYPTULA <i>minor</i>	Little Penguin: 37,40.	LALAGE <i>sueurii</i>	White-winged Triller: 11.
FALCO <i>berigora</i> <i>cenchroides</i> <i>hypoleucos</i> <i>longipennis</i> <i>peregrinus</i> <i>peregrinus calidus</i> <i>peregrinus japonensis</i> <i>peregrinus submelanogenys</i> <i>subniger</i> <i>tinnunculus</i>	Brown Falcon: 51,81. Nankeen Kestrel: 48,81. Grey Falcon: 81. Australian Hobby: 53,81. Peregrine Falcon: 41,50,81. Siberian Peregrine Falcon: 86. Eastern Peregrine Falcon: 86. south-western Australian Peregrine Falcon: 86. Black Falcon: 50,81. Kestrel: 50.	LARUS <i>argentatus</i> <i>dominicanus</i> <i>pacificus</i> LICHENOSTOMUS <i>chrysops</i> <i>fuscus</i> <i>keartlandi</i> <i>leucotis</i> <i>penicillatus</i> <i>virescens</i> LICHMERA <i>indistincta</i>	Herring Gull: 50. Kelp Gull: 37,40. Pacific Gull: 51. Yellow-faced Honeyeater: 101. Fuscous Honeyeater: 119*. Grey-headed Honeyeater: 11. White-eared Honeyeater: 101. White-plumed Honeyeater: 10,56. Singing Honeyeater: 10,34,119*. Brown Honeyeater: 11.
FALCUNCULUS <i>frontatus</i>	Crested Shrike-tit: 91.	LIMOSA <i>lapponica</i>	Bar-tailed Godwit: 118*.
FREGATA <i>minor</i>	Greater Frigatebird: 118*.	MALURUS <i>cyaneus</i> <i>lamberti</i> <i>splendens</i>	Superb Fairy-wren: 105,119*. Variegated Fairy-wren: 18,34. Splendid Fairy-wren: 8,34.
GEOPELIA <i>cuneata</i>	Diamond Dove: 10,34.	MANORINA <i>flavigula</i> <i>melanocephala</i>	Yellow-throated Miner: 11. Noisy Miner: 45.
GERYGONE <i>fusca</i> <i>levigaster</i> <i>levigaster cantator</i> <i>levigaster levigaster</i> <i>magnirostris</i> <i>palpebrosa</i>	Western Gerygone: 11,34. Mangrove Gerygone: 106. eastern Mangrove Gerygone: 106. northern Mangrove Gerygone: 106. Large-billed Gerygone: 109. Fairy Gerygone: 119*.	MELANODRYAS <i>cucullata</i>	Hooded Robin: 11.
GLOSSOPSITTA <i>concinna</i>	Musk Lorikeet: 56.	MELIPHAGA <i>lewinii</i> <i>notata</i>	Lewin's Honeyeater: 119*. Yellow-spotted Honeyeater: 119*.
GRALLINA <i>cyanoleuca</i>	Magpie-lark: 18,52.	MELITHREPTUS <i>lunatus</i>	White-naped Honeyeater: 91.
GYMNORHINA <i>tibicen</i>	Australian Magpie: 45.	MELOPSITTACUS <i>undulatus</i>	Budgerigar: 11.
GYPOHIERAX <i>angolensis</i>	Palm-nut Vulture: 50.	MENURA <i>novaeaeolandiae</i>	Superb Lyrebird: 1,101.
HAEMATOPUS <i>fuliginosus</i> <i>longirostris</i>	Sooty Oystercatcher: 37,40. Australian Pied Oystercatcher: 118*.	MYIAGRA <i>cyanoleuca</i>	Satin Flycatcher: 91.
HALIAEETUS <i>leucogaster</i>	White-bellied Sea-Eagle: 41,51.	NEOCHMIA <i>temporalis</i>	Red-browed Finch: 101.
HALIASTUR <i>indus</i> <i>sphenurus</i>	Brahminy Kite: 51. Whistling Kite: 51.	NEOPSEPHOTUS <i>bourkii</i>	Bourke's Parrot: 18.
HIERAAETUS <i>morphnoides</i>	Little Eagle: 51,87.	NINOX <i>novaeeseelandiae</i>	Southern Boobook: 105.
HIMANTOPUS <i>himantopus</i>	Black-winged Stilt: 118*.	NYCTICORAX <i>nycticorax</i>	Black-crowned Night Heron: 50.
HIRUNDO <i>neoxena</i>	Welcome Swallow: 56.	OCYPHAPS <i>lophotes</i>	Crested Pigeon: 18,34,56.

Species Index (cont.)

OREOICA <i>gutturalis</i>	Crested Bellbird: 18.	PSEPHOTUS <i>varius</i>	Mulga Parrot: 18.
ORIOIUS <i>sagittatus</i>	Olive-backed Oriole: 105.	PSOPHODES <i>olivaceus</i>	Eastern Whipbird: 4,101.
PACHYCEPHALA <i>olivacea</i> <i>pectoralis</i> <i>rufiventris</i>	Olive Whistler: 101. Golden Whistler: 89,119*. Rufous Whistler: 11,34,101.	PTILONORHYNCHUS <i>guttatus</i>	Western Bowerbird: 11,34.
PARDALOTUS <i>punctatus</i> <i>rubricatus</i> <i>striatus</i>	Spotted Pardalote: 101. Red-browed Pardalote: 18,34. Striated Pardalote: 18.	PTILORIS <i>magnificus</i>	Magnificent Riflebird: 120*.
PASSER spp.	sparrows: 51.	PURNELLA <i>albifrons</i>	White-fronted Honeyeater: 18.
PATAGIOENAS <i>squamosa</i>	Scaly-naped Pigeon: 50.	PYCNONOTUS spp.	bulbuls: 51.
PELAGODROMA <i>marina</i>	White-faced Storm-Petrel: 36,40.	PYCNOPTILUS <i>floccosus</i>	Pilotbird: 4.
PELECANUS <i>conspicillatus</i>	Australian Pelican: 40.	PYRROLAEMUS <i>brunneus</i>	Redthroat: 8.
PETROICA <i>goodenovii</i> <i>rodinogaster</i> <i>rosea</i>	Red-capped Robin: 11,34. Pink Robin: 101. Rose Robin: 91.	QUISCALUS <i>quiscalus</i>	Common Grackle: 51.
PHALACROCORAX <i>carbo</i> <i>sulcirostris</i>	Great Cormorant: 41. Little Black Cormorant: 41.	RHIPIDURA <i>fuliginosa</i> <i>leucophrys</i> <i>rufifrons</i>	Grey Fantail: 91. Willie Wagtail: 10,34. Rufous Fantail: 91.
PHAPS <i>chalcoptera</i> <i>elegans</i>	Common Bronzewing: 18,26. Brush Bronzewing: 105.	SERICORNIS <i>beccarii</i> <i>frontalis</i> <i>magnirostris</i>	Tropical Scrubwren: 119*. White-browed Scrubwren: 91. Large-billed Scrubwren: 91.
PHILEMON <i>corniculatus</i>	Noisy Friarbird: 51.	SMICRORNIS <i>brevirostris</i>	Weebill: 18.
PHYLIDONYRIS <i>novaehollandiae</i> <i>pyrrhopterus</i>	New Holland Honeyeater: 105. Crescent Honeyeater: 101.	SPILOPELIA <i>chinensis</i>	Spotted Dove: 56.
PLATALEA <i>regia</i>	Royal Spoonbill: 118*.	STREPERA <i>graculina</i>	Pied Currawong: 1,43.
PLATYCERCUS <i>elegans</i> <i>eximius</i>	Crimson Rosella: 1,90. Eastern Rosella: 51,105.	STRIX <i>aluco</i>	Tawny Owl: 51.
PODARGUS <i>papuensis</i> <i>strigoides</i>	Papuan Frogmouth: 26. Tawny Frogmouth: 26.	STURNUS <i>vulgaris</i>	Common Starling: 56.
POMATOSTOMUS <i>superciliosus</i> <i>temporalis</i>	White-browed Babbler: 11,34. Grey-crowned Babbler: 11.	SUGOMEL <i>nigrum</i>	Black Honeyeater: 18.
		SYMPOSIARCHUS <i>trivirgatus</i>	Spectacled Monarch: 120*.
		TAENIOPYGIA <i>guttata</i>	Zebra Finch: 10,34.
		THALASSEUS <i>bergii</i>	Crested Tern: 36,40.

Species Index (cont.)

THRESKIORNIS		<i>varia</i>	Painted Button-quail: 19,27.
<i>molucca</i>	Australian White Ibis: 40,56.	<i>velox</i>	Little Button-quail: 18,27,34.
TREGELLASIA		TYTO	
<i>leucops</i>	White-faced Robin: 120*.	<i>javanica</i>	Barn Owl: 38.
TRICHOGLOSSUS		UPUPS	
<i>moluccanus</i>	Rainbow Lorikeet: 45.	<i>epops</i>	Eurasian Hoopoe: 50.
TURDUS		VANELLUS	
<i>merula</i>	Common Blackbird: 56,101.	<i>miles</i>	Masked Lapwing: 118*.
TURNIX		XANTHOTIS	
spp.	button-quails: 26.	<i>flaviventer</i>	Tawny-breasted Honeyeater: 119*.
<i>castanota</i>	Chestnut-backed Button-quail: 26.	ZOOTHERA	
<i>maculosa</i>	Red-backed Button-quail: 27.	<i>lunulata</i>	Bassian Thrush: 101.
<i>melanogaster</i>	Black-breasted Button-quail: 19.	ZOSTEROPS	
<i>olivii</i>	Buff-breasted Button-quail: 26.	<i>lateralis</i>	Silvereye: 91.
<i>pyrrhothorax</i>	Red-chested Button-quail: 27.		