### Northern Giant-Petrel Macronectes halli

- (a) 131-45568. Adult banded by ANARE at Bauer Bay, Macquarte Island (54°37'S., 158°51'E.) on 20 July 67. Recaptured near banding place on 19 Sept. 85, over 18 years I month after banding.
- (b) 131-45570. Adult banded by ANARE at Bauer Bay, Macquarie Island (54°37'S., 158°51'E.) on 17 July 67. Recaptured near banding place on 19 Sept. 85, over 18 years 2 months after banding.

### Short-tailed Shearwater Puffinus tenuirostris

160-77793. Nestling banded by G. M. Bowker on Griffith Island, Port Fairy Vic. (38\*23'S., 142°14'E.) on 4 Apr. 70. Recovered dead at Aniva Gulf, Sakhalin Island, USSR (46°57'N., 142°44'E.) on 27 July 84, over 14 years 3 months after banding. 9 376 km N.

# Masked Booby Sula dactylatra

- (a) 131-50974. Juvenile banded by O. R. Evans on Moo-oo Stone near Norfolk Island (29°00'S., 167°56'E.) on 6 Apr. 86. Recaptured by A. Tennyson on Macauley Island, Kermadec Group (30°31'S., 178°33'W.) on 2 Dec. 88. 1 316 km E.
- (b) 13151235. Juvenile banded by O. R. Evans on Philip Island, Norfolk Island (29°07'S., 167°57'E.) on 30 Jan. 87. Recaptured by A. Tennyson on Macauley Island, Kermadec Group (30°31'S., 178°33'W.) on 2 Dec. 88. 1 313 km E.
- (c) 131-51273. Nestling banded by O. R. Evans on Nepean Island, Norfolk Island (29°04'S., 167°57'E.) on 30 Sept. 87. Recaptured by A. Tennyson on Macauley Island, Kermadec Group (30°31'S., 178°33'W.) on 2 Dec. 88. 1 314 km E.
- (d) 131-57182. Nestling banded by O. R. Evans on Nepean Island, Norfolk Island (29°04'S., 167°57'E.) on 30 Sept. 87. Recaptured by A. Tennyson on Macauley Island, Kermadec Group (30°31'S., 178°33'W.) on 2 Dec. 88. 1 314 km E.
- (e) 131-57472. Nestling banded by O. R. Evans on Nepean Island, Norfolk Island (29°04'S., 167°57'E.) on 30 Sept. 87. Recaptured by A. Tennyson on Macauley Island, Kermadec Group (30°31'S., 178°33'W.) on 2 Dec. 88. 1 314 km E.
- (f) 131-57474. Nestling banded by O. R. Evans on Nepean Island, Norfolk Island (29°04'S., 167°57'E.) on 30 Sept. 87. Recaptured by A. Tennyson on Macauley Island, Kermadec Group (30°31'S., 178°33'W.) on 2 Dec. 88. 1 314 km E.
- (g) 131-57548. Nestling banded by O. R. Evans on Philip Island, Norfolk Island (29°07'S., 167°57'E.) on 13 Feb. 88. Recaptured by A. Tennyson on Macauley Island, Kermadcc Group (30°31'S., 178°33'W.) on 2 Dec. 88. 1 313 km E.
- (h) 131-57606. Adult banded by O. R. Evans on Philip Island, Norfolk Island (29°07'S., 167°57'E.) on 21 Feb. 88. Recaptured by A. Tennyson on Macauley Island, Kermadec Group (30°31'S., 178°33'W.) on 2 Dec. 88. 1 313 km E.

# Brown Booby Sula leucogaster

121-16958. Juvenile banded by B. R. King on Raine Island, Old (11°36'S., 144°01'E.) on 2 Dec. 86. Recovered at Cape Narun, Namatani, New Ireland (03°40'S., 152°25'E.) on 12 Apr. 87. 1 276 km NE.

### Silver Gull Larus novaehollandiae

- (a) 081 68296. Adult banded by P. Ogilvie at Rockhampton Dump, Old on 13 May 87. "Colour marking sighted in field (band number inferred)" at Canterbury Tip near Sydney by R. Ferster-Levy on 4 Nov. 88. 1 171 km S.
- (b) 081-91064. Nestling banded by D. G. Nicholls on Mud Islands, Port Phillip Bay, Vic. on 15 Oct. 84. Recovered in two locations:
  - (1) Recaptured at Redcliffe, Old by L. Mitchell on 29 May 87. 1 450 km NE;
  - (2) Recovered dead at St. Leonards, Vic. on 23 Aug. 87. 12 km N.
- (c) 081-97200. Nestling banded by M. H. Waterman at The Breakwater, Outer Harbour, SA on 16 Aug. 86. "Band number read in field" by R. Ferster-Levy at Hyde Park, Sydney on 8 Nov. 88. 1 175 km ENE.

### Crested Tern Sterna bergii

071-82514. Nestling banded by VWSG on Mud Islands, Port Phillip Bay, Vic. on 13 Dec. 87. Recaptured at Co-Op Wharf, Coffs Harbour, NSW on 3 July 88. 1 173 km NE.

#### Recovery Round-up Notes

The seabird recoveries show some of particular interest. The recoveries of Wandering Albatrosses and Northern Giant-Petrels reveal that valuable aged birds are available for study on Macquarie Island, and the article on Heard Island in this issue reports other Subantarctic recoveries. Bellambi continues to be a place where valuable southern recoveries can be obtained. We come to expect recoveries of Short-tailed Shearwaters from the north Pacific, the one given is from the USSR many years after banding as a nestling. Reports of movements of tropical birds tend to be fewer so those of several Masked Boobies banded at various localities on Norfolk Island to the Kermadec Islands are an encouraging development as is the one Brown Booby and those of the Lesser Frigatebird (see article in this issue). The Silver Gull banded at Mud Islands as a nestling, subsequently recaptured in the non-breeding season in Queensland and then back in Victoria at breeding time suggests that movements such as those reported by Carrick, R., and Murray, M. D. Aust. Bird Bander 8: 51-56 may be occurring in other colonies.