

« RECOVERY ROUND-UP »

This section is prepared with the co-operation of the Secretary, Australian Bird-banding Scheme, CSIRO Division of Wildlife Research. The recoveries are only a selection of the thousands received each year; they are not a complete list and should not be analysed in full or in part without the prior consent of the banders concerned. Longevity and distance records refer to the ABBS unless otherwise stated. The distance is the shortest distance in kilometres along the direct line joining the place of banding and recovery; the compass direction refers to the same direct line. (There is no implication regarding the distance flown or the route followed by the bird).

Recovery or longevity items may be submitted directly to me where-upon their merits for inclusion will be considered.

— Hon. Editor.

The following abbreviations appear in this issue:

ANARE — Australian National Antarctic Research Expeditions.

VWSG — Victorian Wader Study Group.

SGS (BOAT) — Shorebird Study Group of the Bird Observers Association of Tasmania.

Little Penguin *Eudyptula minor*


- (a) 190-05305. Nestling banded by G. M. Bowker at Middle Island, Warrnambool, Vic. on 6 Nov. 72. Found dead near banding place on 26 Nov. 81, over 9 years after banding.
- (b) 190-10721. Nestling banded by J. P. Stewart on Middle Island, Warrnambool, Vic. on 31 Jan. 81. Found dead at Anglesea, Vic. on 21 May, 81. 145 km E.
- (c) 190-11281. Nestling banded by H. Battam on Big Island, Five Islands, NSW on 15 Nov. 80. Found dead at Torquay, Vic. on 20 Dec. 80. 725 km SW.
- (d) 190-11399. Nestling banded by H. Battam at North Island, Tollgate Islands, Bateman's Bay, NSW on 3 Dec. 80. Found dead at Point Roadknight near Anglesea, Vic. on 2 June 81. 600 km SW.

Wandering Albatross *Diomedea exulans*

- (a) 140-33474. Banded by J. D. Gibson off Wollongong, NSW (34°24'S., 151°00'E.) on 30 July 78. Recaptured on Adams Island, New Zealand (50°50'S., 166°05'E.) on 9 May 81. 2 170 km SE.
- (b) 140-39265. Banded by J. D. Gibson off Austimner, NSW (34°18'S., 150°58'E.) on 1 Aug. 71. Recaptured at Adams Island, New Zealand (50°50'S., 166°05'E.) on 11 May 81, over 9 years 9 months after banding. 2 170 km SE.

Shy Albatross *Diomedea cauta*

- (a) 140-46102. Nestling banded by N. P. Brothers on Albatross Island, Tas. on 9 Jan. 81. Found dead near Kingston, SA on 12 May 81. 600 km NW.



Map prepared from information provided by Secretary Australian Bird-banding Scheme.

- (b) 140-46707. Nestling banded by N. P. Brothers on Albatross Island, Tas. on 10 Jan. 81. Recaptured near Kingston, SA (released with band) on 16 June 81. 590 km NW.

Southern Giant-Petrel *Macronectes giganteus*

215002*. Runner banded on South Shetland Islands (62°12'S., 58°54'W.) on 1 Feb. 80. Recovered (alive and well) at Flinders, Vic. (38°29'S., 145°02'E.) on 5 Nov. 80. 8 616 km NNW.

* Beringungszentrale der DDR (= Ringing Centre of the Democratic Republic of Germany).

Northern Giant-Petrel *Macronectes halli*

131-40911. Nestling banded by ANARE on Macquarie Island (54°45'S., 158°35'E.) on 29 Jan. 81. Found dead at Discovery Bay, Vic. (38°13'S., 141°14'E.) on 20 June 81. 2 850 km NW.

Wedge-tailed Shearwater *Puffinus pacificus*

- (a) 160-63753. Adult (on egg) banded by S. G. Lane on Lion Island, NSW on 18 Dec. 70. Recaptured at banding place twice, the second occasion on 29 Aug. 81, over 10 years 8 months after banding.
- (b) 161-61037. Adult banded by S. G. Lane on Mutton Bird Island, NSW (30°18'S., 153°09'E.) on 28 Nov. 79. Found dead at Baganga, Mindanao, Philippines (7°35'N., 126°34'E.) on 8 May 81. 4 900 km NW.

Short-tailed Shearwater *Puffinus tenuirostris*

- 160-10454. Adult banded by G. M. Bowker at Griffiths Island, Port Fairy, Vic. on 3 Apr. 62. Found dead near banding place on 20 Nov. 81, over 19 years 7 months after banding.

Australian Pelican *Pelecanus conspicillatus*

- 170-02391. Banded by J. A. K. Lane at Wilson Inlet, WA on 15 Jan. 78. Recovered (injured; died later) at Marchagee, WA on 24 June 81. 570 km NNW.

Red-footed Booby *Sula sula*

- 270-01308. Juvenile banded by B. R. King on Raine Island, Qld. on 14 June 81. Recaptured near Bramble Cay, 75 km east of Daru Island, Papua New Guinea on 29 June 81. 300 km N.

Masked Booby *Sula dactylatra*

- (a) 131-34738. Nestling banded by O. R. Evans on Nepean Island, Norfolk Island (29°05'S., 617°58'E.) on 14 Dec. 80. Found shot at Noumea, New Caledonia (22°16'S., 166°26'E.) on 4 July 81. 800 km NNW.
- (b) 131-34813. Nestling banded by B. Miller at Muttonbird Point, Lord Howe Island on 26 Oct. 79. Found dead near Tin Can Bay, Qld. on 24 July 81. 860 km NNW.
- (c) 131-41778. Runner banded by B. R. King on Raine Island, Qld. (11°36'S., 144°01'E.) on 11 Dec. 80. Recaptured in Chiria Sea, north-west of Port Moresby, Papua New Guinea (08°45'S., 146°25'E.) on 5 July 81. 460 km NE.
- (d) 131-45242. Nestling banded by O. R. Evans on Nepean Island, Norfolk Island (29°05'S., 617°58'E.) on 16 Nov. 80. Found dead between Australia and New Caledonia (27°00'S., 165°00'E.) on 13 June 81. 400 km NNW.

Brown Booby *Sula leucogaster*

- 120-65478. Runner banded by B. R. King on Raine Island, Qld. (11°36'S., 144°01'E.) on 10 Dec. 80. Recovered at Kavieng, New Ireland Province, Papua New Guinea (02°35'S., 150°49'E.) on 16 June 81. 1 240 km NE. (This is the longest movement recorded for this species).

Black-faced Shag *Leucocarbo fuscescens*

- (a) 131-09722. Nestling banded by M. H. Waterman at Outer Harbour, SA on 8 Aug. 71. Found dead at Moana, SA on 29 Nov. 81, over 10 years 4 months after banding. 47 km S.
- (b) 131-20703. Nestling banded by M. H. Waterman at Outer Harbour, SA on 29 July 73. Found dead at Port Stanvac, SA on 5 July 81, over 7 years 11 months after banding. 38 km S.

Pied Cormorant *Phalacrocorax varius*

- (a) 130-41503. Nestling banded by M. H. Waterman at Fishermans Bay, Port Broughton, SA on 16 Apr. 66. Found dead at Souter Bay, SA on 29 Dec. 81, over 15 years 8 months after banding. 164 km SSW.
- (b) 131-33679. Nestling banded by N. J. Falvoro at Lake Menindee, NSW on 11 Apr. 79. Found dead ("drowned in fish nets") at Lake Alexandrina, SA on 14 July 81. 443 km SW.
- (c) 131-16352. Nestling banded by M. H. Waterman at Port Broughton, SA on 20 Apr. 73. Found dead near Port Victoria, SA on 12 July, 81, over 8 years 2 months after banding. 110 km SSW.

Cattle Egret *Ardeola ibis*

- (a) 100-09847. Nestling banded by J. Willows at Murwillumbah, NSW on 29 Jan. 81. Found dead at Birregurra, Vic. on 11 June 81. 1 450 km SW.
- (b) 100-56876. Nestling banded by D. H. C. Seton, at Bald Hills, Qld. on 12 Dec. 80. Found dead at Boonah, Qld. on 6 July 81. 80 km SSW.

Cape Barren Goose *Cereopsis novaehollandiae*

- 150-27899. Runner banded by M. H. Waterman at Flinders Chase, Kangaroo Island, SA on 10 Sept. 79. Killed by car at American River, Kangaroo Island, SA on 23 Oct. 81. 90 km E.

Marsh Harrier *Circus aeruginosus*

- 110-91762. Adult male banded by D. Baker-Gabb at Werribee, Vic. on 19 Sept. 79. Recaptured "in crow trap" at Mole Creek, Tas. on 1 Jan. 82. 440 km SSE.

Pied Oystercatcher *Haematopus longirostris*

- (a) 100-81824. Adult banded by SSG (BOAT) at South Arm, Tas. on 6 July, 80. Found dead at Eaglehawk Neck, Tasman Peninsula, Tas. on 9 Jan. 82. 41 km E.
- (b) 100-82079. Adult banded by VWSG at Werribee, Vic. on 8 Mar. 80. Recaptured at Queenscliff, Vic. on 14 June 81. 29 km SSE.
- (c) 100-82080. Adult banded by VWSG at Werribee, Vic. on 8 Mar. 80. Recaptured by VWSG at Queenscliff, Vic. on 13 June 81. 29 km SSE.
- (d) 100-82090. Adult banded by VWSG at Werribee, Vic. on 8 Mar. 80. Recaptured by VWSG at Queenscliff, Vic. on 13 June 81. 29 km SSE.

Masked Lapwing *Vanellus miles*

- 081-77542. Adult banded by B. R. Jahnke at Anstead, Qld. on 15 Nov. 79. Found dead at Indooroopilly, Qld. on 29 Aug. 81. 10 km ENE.

Grey-tailed Tattler *Tringa brevipes*

- 050-10345*. Adult banded at Obitsu Estuary, Kisarazushi, Chiba Pref., Japan (35°25'N., 139°54'E.) on 3 Aug. 77. Found dead on Possession Island, Qld. (10°44'S., 142°24'E.) on 10 May 80. 4 900 km S.
* Yamashina Institute of Ornithology (Japan) band.

Terek Sandpiper *Tringa terek*

- 040-10895*. Adult banded near Obitsu River, Kisarazushi, Chiba Pref., Japan (35°25'N., 139°54'E.) on 1 Aug. 78. Recaptured by F. W. C. van Gessel on Kooragang Island, Newcastle, NSW (32°56'S., 151°47'E.) on 22 Nov. 80. 7 400 km S. (This is the longest movement recorded for this species).
* Yamashina Institute for Ornithology (Japan) band.

Latham's Snipe *Gallinago hardwickii*

071-43542. Adult banded by A. J. Leishman at Pitt Town, NSW on 14 Feb. 81. Shot at Mepunga East, Vic. on 9 Jan. 82. 920 km WSW.

Red-necked Stint *Calidris ruficollis*

(a) 032-14781. Adult banded by VWSG at Werribee, Vic. on 6 Nov. 78. Recaptured at banding place, then three times at Pipeclay Lagoon, Tas. by SSG (BOAT) the last occasion on 7 Feb. 81. 610 km SSE.

(b) 032-26902. Adult banded by VWSG at Werribee, Vic. on 12 Apr. 80. Recaptured by SSG (BOAT) at Lauderdale, Tas. on 7 Dec. 80 605 km SSE.

Curlew Sandpiper *Calidris ferruginea*

040-50646. Banded by S. G. Lane at Stockton, NSW on 17 Feb. 73. Recaptured at banding place by F. W. van Gessel on 22 Jan. 82, over 8 years 11 months after banding. (This is the oldest recorded for this species).

Fairy Tern *Sterna nereis*

(a) 040-28440. Runner banded by J. R. Wheeler at Moolap, near Geelong, Vic. on 10 Jan. 76. Recaptured by VWSG at Queenscliff, Vic. on 14 June 81, over 5 years 5 months after banding. 25 km SE.

(b) 040-75642. Runner banded by J. B. Paton on Boucaut Island, Sir Joseph Banks Group, SA on 20 Jan. 79. Found dead at Edithburgh, Yorke Peninsula, SA on 2 June 81. 136 km ESE.

Crested Tern *Sterna bergii*

(a) 070-94189. Runner banded by J. B. Paton at West Island, SA on 28 Dec. 71. Found dead at Boomer Beach, SA on 7 Dec. 81, over 9 years 11 months after banding. 10 km NNE.

(b) 071-05087. Nestling banded by M. H. Waterman on Troubridge Island, SA on 19 Jan. 69. Found dead at Pine Point, SA on 12 June 81, over 12 years 5 months after banding. 60 km N.

(c) 071-44009. Runner banded by J. N. Dunlop at Rottnest Island, WA on 18 July, 80. Recovered injured near Kalbarri, WA on 11 Jan. 82. 500 km NNW.

(d) 071-50343. Runner banded by SSG (BOAT) at Iron Pot, near South Arm, Tas. on 13 Jan. 79. Found dead at Paynesville, Vic. on 5 Aug. 81. 570 km N.

Galah *Cacatua roseicapilla*

200-04478. Adult banded by G. D. Thomas at Finley, NSW on 23 Dec. 74. Recovered ("shot") near Jerilderie, NSW on 16 Nov. 81, over 6 years 11 months after banding. 22 km NNE.

Rainbow Lorikeet *Trichoglossus haematodus*

(a) 250-01907. Banded by C. Cannon at Currumbin Beach, Qld. on 28 July 78. Recaptured at Boyland, Qld. on 8 Sept. 81. 40 km WNW.

(b) 250-02019. Banded by C. Cannon at Currumbin Beach, Qld. on 24 Apr. 80. Recaptured at Tamborine Mountain, Qld. on 5 Nov. 81. 40 km NW.

(c) 250-02056. Banded by C. Cannon at Currumbin Beach, Qld. on 23 May 80. Recaptured at Boyland, Qld. on 8 Sept. 81. 40 km WNW.

Sacred Kingfisher *Halcyon sancta*

050-82090. Juvenile banded by R. J. Brown at Middlesex, Manjimup, WA on 28 Mar. 80. Found dead ("killed on road") near Pemberton, WA on 1 Dec. 81. 14 km SW.

Blackbird *Turdus merula*

G60-54351. Adult male banded by G. S. Clark at Botanic Gardens, ACT on 10 Jan. 75. Found dead near banding place on 23 July 81, over 6 years 6 months after banding.

Eastern Yellow Robin *Eopsaltria australis*

022-10591. Immature banded by S. G. Lane at West Pennant Hills, NSW on 11 Jan. 76. Found dead ("hit by car") near banding place on 5 Aug. 81, over 5 years 7 months after banding.

Spectacled Monarch *Mionarcha trivirgatus*

G22-14536. Adult banded by G. P. Clancy at Iluka, NSW on 26 Dec. 76. Recaptured at banding place on 31 Dec. 81, over 5 years after banding.

Brown Treecreeper *Climacteris picumnus*

050-78551. Adult banded by R. H. Donaghey at Scheyville near Windsor, NSW on 11 Dec. 75. Recaptured at banding place twice, the second occasion by A. Cam on 9 Jan. 81, over 5 years after banding.

Common Myna *Acridotheres tristis*

070-62844. Adult banded by M. A. Johnson at West Pymble, NSW on 16 June 74. Found dead at Turramurra, NSW on 26 July 81, over 7 years 1 month after banding. 5 km NNW.

Regent Bowerbird *Sericulus chrysocephalus*

060-85018. Banded (brown plumage) by R. J. Smith at Kincumber, NSW on 2 Aug. 76. Recaptured at banding place on 4 Nov. 81, over 5 years 3 months after banding.

Pied Currawong *Strepera graculina*

090-76299. Adult banded by N. F. Weatherill at Bogong, Vic. on 27 Aug. 72. Found dead ("killed by cat") at Mount Beauty, Vic. on 15 July 81, over 8 years 10 months after banding. 9 km NNW.

New Members

BOLTON, B. L., Giggi, N.S.W.
 CROSSING, Y. A., Walcha, N.S.W.
 FRITH, Dr. H. J., Goonellebah N.S.W.
 HALL, J. H., Bingara, N.S.W.
 HAMONET, O. P., Speers Point N.S.W.
 HOLLANDS, D. W. G., Orbost, Vic.
 JORDAN, R., Stawell, Vic.
 LENZ, Dr. M., Ainslie, A.C.T.
 NIAS, R. C., Armidale, N.S.W.
 PERRY, J. W., Garden Suburb, N.S.W.
 ROBINSON, J. W., Glen Osmond, S.A.
 ROSS, T. D., Lyneham, A.C.T.
 TYSON, C. F., Great Britain.

CORRIGENDUM

The Review of 'Raptor Management' which appeared in Vo. 6, No. 1 should have been headed as an Abstract and not have been published under the name of S. J. Debus. The editor apologises for any inconvenience caused.