
Pectoral Sandpiper Calidris melanotos Species Code: 460 Band: [CP/C]



Adult Female (non-breeding)

1/0/0

Morphometrics:

| | Maie | remaie |
|---|----------------|----------------|
| Wing - adult: | 135 – 148 mm | 126 – 143 mm |
| juvenile p10 and central rectrices: | 136 – 150 mm | 125 – 138 mm |
| Tail - adult: | 55 – 70 mm | 48 – 58 mm |
| juvenile p10 and central rectrices: | 53 – 62 mm | 46 – 54 mm |
| Bill: | 26.1 – 32.0 mm | 23.8 – 30.0 mm |
| Tarsus: | 26.1 – 31.7 mm | 24.0 – 28.8 mm |
| Toe (middle toe – base to tip of claw): | 24.8 – 31.0 mm | 24.8 – 28.7 mm |
| Weight (increases over austral summer: | 62 – 78 g | 45 – 63 g |

Note: max. weights recorded in the few records in Australia, are considerably less than the weights recorded in the breeding area of northern Asia and North America- max weights recorded at start of breeding in Alaska (June – July) are males 105 g and females 86 g).

Ageing:

Juvenile / Immature superficially similar to adults in breeding plumage, but slightly darker rufousbrown streaking on crown and nape; mantle is scalloped rather than streaked as in breeding adult; fringes of longest feather of mantle and scapulars are darker rufous-brown than adults; rufous-brown tips to undertail coverts and feathers of rump are slightly narrower and darker than in adults; marginal and tertial coverts have light rufous-brown fringes; rufous-brown feathers fade to buff;

Age juveniles and immatures as (1) AND ADULTS AS (2+).

Sexing:

See measurements above. Female has finer dark streaking on breast than male.

Similar species:

Sharp-tailed Sandpiper – see below:

Pectoral Sandpiper Sharp-tailed Sandpiper

Breast/belly: sharply defined contrast (see illustration); Supercilium: broad white with narrow brown eyestripe; Orbital ring: narrow white & extends into supercilium; uniform plumage over breast & belly;
narrow white with broad eyestripe below;
broad clean white ring contrasts with
supercilium.